ON-SITE & TRUCK STORAGE SOLUTIONS

CATALOG # 1961-10







When it comes to durable, weather-resistant and innovative storage solutions for trucks and job sites, Delta Consolidated Industries, and its brands—JOBOX,[®] Delta[®] PRO,[™] Delta[®] CHAMPION,[™] JOBSITE[®] and Delta[®]—have been the leading the way for over 40 years. We utilize cutting edge technology, in-depth research, extensive testing and our innovative designs to improve the strength, security and durability of our products. At Delta, we are committed to providing you with the best storage solutions available.

TABLE OF CONTENTS On-Site Storage

High-Capacity Drop-Front Boxes & Accessories	4-7
Piano Boxes	8-9
High-Capacity Piano Box	
Drop-Front Boxes	
Chests	12-13
Slope Lid Chest	13
Field Office	14-15
Cabinets	16-17
Drawer Cabinet	
Bin & Clam-Shell Cabinets	
Rolling Workbenches	20
Welder's Box & Small Chests	20

Truck Storage

Crossovers	24-27
Crossover Fitment Charts	28-29
Innersides	
Truck Chests	
Drawer Storage	32-35
Underbeds	36-37
Topsides	38-39
Liquid Transfer Tanks	40-41

KargoMaster[®] Ladder Racks

13 15
15
10
16
17
19
50
51

See our product videos on the T.E.C. Video Channel! www.deltajobox.com

15m			
+ D	TEC. Voles (Name) :		
JOBOX	T.E.C.		annel
		T.E.C. Web Owned Home . No	A to Defaillorage one
			All Videos Inte Charges Trust Res
ê5	XOBOL		Drug Provit Parent Ros. 62 Londer Del: Bollers
-	Anite Part Seal		Pair DRos Darliet Talmana
S Ramone Contractions Buy Drulke Shorepe			High Equality Drug Prior
			Figh Capacity Res Ris
-	JOBOX	and the second s	Industrial 2 Dece, 8 Dissent
100	and the second		KINDE ALL-MAIN COMMANY
_			List Tread
Crue Part Tare Inc.	Test Chan	Division Carlo	Kalling West Reads
Ong must have the	Page Califica		Block Lief Chest



throughout our entire product line. With the vast selection of on-site and truck storage offerings by JOBOX, we are confident that your storage needs on the job will be met.

1-800-643-0084 www.deltastorage.com

SITE-VAULT M SECURITY SYSTEM PATENT PENDING

Innovative system locks at three points

- Three locking points versus only two on competitive locking systems. Cover plates protect the three lock hooks from being bent, broken, cut or pulled out to break-in.
- Full-length, high-strength lock console protects the system and reinforces the front of the lid or door. Requires only one padlock versus two on competitive systems.
- Padlock installs inside the fully-welded 14-ga. steel housing where it is nearly impossible to pry, cut or knock out to break-in.
- Exclusive to JOBOX, the fluorescent reflective orange tape indicates when the chest is unlocked—an innovative design making it easy to check security at night from a distance.

EZ-LOADER® SKID BOLSTERS PATENT PENDING

Fork lift from any side

- Easily load or unload heavy, fully-loaded boxes from any side on trucks, trailers or docks
- JOBOX side loading ability provides time-saving and safety advantages that the competition does not offer when moving boxes around the site or to upper floors
- One-piece 7 ga. steel skid bolsters reinforce the bottom of the box for heavier loads and protect the bottom if dropped
- Use 5/16" self-tapping screws to install optional casters

TEXTURED POWDER PAINT FINISH

- First in Industry to utilize Highest Quality Paint
- Able to Customize Colors if Required (Minimum Order Quantities Apply)









Improved durability over liquid paint

- **10X more corrosion resistance**
- **5X more abrasion resistance**
- **2X more chip resistance**
- **2X more scratch resistance**



HIGH-CAPACITY DROP-FRONT CHEST



Industry 1st Design

37% more capacity for storing taller, bulkier equipment
 Extra wide, low-incline ramp supports up to 1,000 lbs for safe and easy loading and unloading

Site-Vault Security System

- Full length console & two locking points make the lid virtually impossible to bend or pry
- 14 gauge steel lock console to prevent being pried, cut or knocked out during attempted break in

EZ-Loader Skid Bolsters

Fork Lift accessible from all sides allows easier loading & unloading 7-Gauge, one-piece steel bolsters resist damage when dropped

JOBOX

Site-Vault[™] Security System has 12-ga. steel lock console with two locking points Fully Welded Padlock Housing

Grip-Rite™ Lifting Channel

Lid Strengthening Reinforcement Bolster

Lid Lowering Assist Shock

Extra Deep and Wide Storage Bin

44[‴]Wide Loading Ramp

4-Corner U-Bolt Tie-Down Points

8° Ramp Loading Angle

Low Incline Ramp Locking Arm

> Power Cord Access

Recessed Handles

EZ-Loader[®] Skid Bolsters 7-Gauge One-Piece Steel

0

Pad-Lockable Ramp

Iodel #	UPC	Length	Width	Height	Usable Cu. Ft.	Shipping Cu. Ft.	Shipping Wt. (Lbs.)
ligh-Ca	pacity Drop-F	ront Chest	;				
657990	0-43419-94122-9	60″	31″	45″	41.5	50.8	340.0

Optional Heavy-Duty Casters Available. See Page 13 For Details

1-657990 ACCESSORY OPTIONS

Accessory Support Bar 630990

1 1/2" square steel tube is the core component needed to support accessories





Back Wall Shelf

631990

- Ability to tightly secure shelf to chest yet removable when needed
 - Includes hardware



Tool & Equipment Hooks 601990

(6 Pack) Industrial grade hooks are perfect for hanging harnesses, rope or chainsEasy to position & quick to remove



Can be mixed and matched side by

side with the Parts Bin Board

Peg Board

Parts Bin Board

- Can be mixed and matched side by side with Peg Board
- Supports most small parts bins





630990	0-43419-94204-2	Accessory Support Bar	0.20	5.0
631990	0-43419-94205-9	Back Wall Shelf (installs on Support Bar)	2.30	15.0
632990	0-43419-94206-6	Peg Board (installs on Support Bar)	0.80	10.0
633990	0-43419-94207-3	Parts Bin Board (installs on Support Bar)	0.90	12.0
601990	0-43419-94209-7	Tool & Equipment Hooks (OTY 6) (installs on Support Bar)	0.10	7.0



PIANO BOXES

SITE-VAULT SECURITY SYSTEM

50% more locking points than competitive locking systems

3-Point lock engagement is virtually impossible to bend or pry open



JOBOX

2X WIDER SIDE WALLS

- Formed side wall design allows the door to overlap the side walls when closed to resist pry bars and moisture
- Two deep storage bins located on both side walls

LIFT-N-STOW SHELF

Bottom shelf on most models lifts up for easier loading and unloading of large items in the bottom

EZ-LOADER° SKID BOLSTERS

Fork lift from any side

7-Gauge, one-piece bolsters resist damage when dropped

GAS SPRING GUARDS

Gas springs assist with opening and closing the door. They are embedded in the side walls and protected from damage and jamming. Guards reinforce the side walls

RECESSED HANDLES

Extra tall and deep recess areas prevent pinched fingers and damage to the handle



Optional Heavy-Duty Casters Available. See Page 13 For Details

0-43419-93119-0

0-43419-93120-6

1-688990*

1-689990

60″ Long

74″ Long

PREMIUM STORAGE SOLUTIONS

31″

31″

38″

50″

34.5

56.5

45.0

73.0

60″

74″

283.0

423.0



HIGH-CAPACITY PIANO BOX

Has 75% more storage capacity than our popular model

1-682990. The nearly 5' tall box has three rear shelves and three storage bins on each side wall for more space to store tools, equipment and supplies.

Includes same features as boxes on page 8 & 9

Punched Holes for hanging safety harnesses

Three 500-lb. Capacity deep full-width shelves

Three Storage Bins on both side walls

Lift-N-Stow Bottom shelf lifts up for easier loading and unloading of large items in the bottom

- Cont d'					E. L. S.		
Model #	UPC	L	w	H	Usable Cu. Ft.	Shipping Cu. Ft.	Shipping Wt. (Lbs.)
High-Capa	city Piano Box						
1-685990	0-43419-93213-5	74″	34 5/8″	63″	85.7	92.2	500.0
A.S.S.	the states	19.7	-fall	5	1	1 10	the ford

SAME FEATURES as Piano Boxes shown on Page 8 and 9

PREMIUM STORAGE SOLUTIONS

75% More Capacity

DROP-FRONT PIANO BOXES feature

a reinforced drop-down ramp for easy loading and unloading of heavy equipment. Available in 60" and 74" lengths. Includes same features as boxes on page 8 & 9

> **Drop-down ramp** is reinforced to support heavy loads and locks with two sliding gate bolts on the inside. Makes it easy to roll or put heavy items in the bottom of the box

Lock ramp closed with padlocks to limit access to bulky items in the bottom when the door is open

JOBOX

Tapered ramp

for easily rolling heavy items in and out of the bottom

Model #	Description	UPC	L	w	н	Usable Cu. Ft.	Shipping Cu. Ft.	Shipping Wt. (Lbs.)
Drop-	Front Piano	Boxes						
1-683990	60″ Long	0-43419-93151-0	60″	30″	50″	47.5	60.0	405.0
1-684990	74″ Long	0-43419-93152-7	74″	30″	50″	56.5	73.0	468.0

SAME FEATURES as Piano Boxes shown on Page 8 and 9



CHESTS

SITE-VAULT SECURITY SYSTEM

50% more locking points than competitive locking systems

3-Point lock engagement is virtually impossible to bend or pry open



JOBOX°

STAKED & WELDED HINGE

14-gauge steel, 3/8" continuous hinge with 1/4" steel pin and extra-large 1" knuckles. Pin cannot be driven out.

EZ-LOADER[®] SKID BOLSTERS Fork lift from any side

 7-Gauge, one-piece bolsters resist damage when dropped

1-654990

HEAVILY REINFORCED LID

Lid bolster resists bending from cargo placed on top of the box and from attempted break-ins

Model #	Description	UPC	L	w	н	Usable Cu. Ft.	Shipping Cu. Ft.	Shipping Wt. (Lbs.)
Heavy	-Duty Ches	ts						
1-652990	36″ Long	0-43419-93110-7	36″	20″	23 3/4″	8.3	10.0	98.0
1-653990	42″ Long	0-43419-93111-4	42″	20″	23 3/4″	9.3	13.8	118.0
1-654990	48″ Long	0-43419-93112-1	48″	24″	27 3/4″	15.4	22.3	148.0
1-655990	60″ Long	0-43419-93113-8	60″	24″	27 3/4″	19.3	27.3	182.0
1-656990	48″ Long	0-43419-93114-5	48″	30″	33 3/8″	24.3	33.3	190.0
1-658990	72″ Long	0-43419-93115-2	72″	24″	27 3/4″	23.2	30.9	220.0
And in case of the local division of the loc	Contraction of the second s	and the second second		Start Start	the second se	and the second sec	AND	and the second second





FIELD OFFICE

ONE-HANDLE LOCK OPERATION

IOBOX

Opens both bottom and top doors

Handle slides down to release bottom doors and slides up to release top door





OFFICE CENTER WITH EXTRA LARGE DESKTOP

Can be propped into a flat working surface and provides pad-lockable storage underneath

EZ-LOADER[®] SKID BOLSTERS

Fork lift from any side 7-Gauge, one-piece

bolsters resist damage when dropped

STEEL PEGBOARD, DEEP SHELF AND BINS ON SIDE WALLS

Provides hanging storage of smaller items, shelf space for large objects and bins to hold small tools and supplies





BOTTOM DOOR SHELVES

Convenient for storing small parts and tools while reinforcing doors

30 CU. FT. SIDE STORAGE LOCKER

Stores items up to 60" in length and is opened by a lanyard inside the lower cabinet for additional security





CABINETS

SAWHORSE





Hand or Foot Operated Latch Release System

 Doors open by pushing down on either hand or foot operated handles.
 Only one hand is needed to open the doors

Access Holes Allow Electrical Cables Through Walls

Charge batteries overnight on site while securely locked inside the cabinet

4 Models To Choose

shelf storage



2-Door, 24" Deep MODEL 1-694990 with nearly 17 linear feet of door shelf storage

4-Door, 32" Deep MODEL 1-695990

features front and back access

with nearly 34 linear feet of door





2-Door, 24[°]Deep MODEL 1-697990 has versatile tall closet on right side for taller items with nearly 17 linear feet of door shelf storage

2-Door, 30^{°′} Deep MODEL 1-698990 extra deep cabinet offers 25% more capacity than standard 2-door cabinet



Super Strong Hinge Pins

Full-length 3/8" hinges have full 1/4" steel hinge pins. Staking and welding prevent pins from being driven out


> Fully Welded Padlock Housing

Welded Corner Gussets

Heavy-Duty Doors With Grip-Rite[™] Channel

3" deep doors are formed on all sides. Grip-Rite™ door opening channels add strength and make doors easy to grasp.

> Three 5/8" Steel Locking Pins Per Door



Model #	Description	UPC	L	W	Н	Cu. Ft.	Cu. Ft.	Wt. (Lbs.)		
Heavy-Duty Cabinets										
1-694990	Two Doors	0-43419-94218-9	60 3/4″	24 1/4″	60 1/4″	47.5	53.2	379.0		
1-695990	Four Doors, Both Sides	0-43419-94219-6	60 1/8″	32 1/4″	60 3/4″	63.7	66.5	523.0		
1-697990	Two Doors, Open Side	0-43419-94220-2	60 1/8″	24 1/4″	60 3/4″	47.5	53.2	366.0		
1-698990	Two Doors	0-43419-94221-9	60 1/8″	30 1/4″	60 3/4″	58.7	62.5	436.0		
and the second se		and the second s		and the second	and the second second	and the second se	and the second se	and the state of the		

Optional Heavy-Duty Casters Available. See Page 13 For Details



DRAWER CABINET

HIGH-LOAD CAPACITY DRAWERS

- Three 2 1/2" deep drawers have 75 lb. load capacity
- Five 5 1/2" deep drawers have 125 lb. load capacity

EZ-LOADER® ANTI-TIP SKID BOLSTER

- Front of bolster is extended to prevent tipping when drawers are open
- Forklift accessible from all sides
- Use 5/16" self-tapping screws to install optional casters

Fully Welded Padlock Housing

Three 5/8" Steel

4 1/2[°] Deep Top Shelf And Three 3[°] Deep Shelves On Each Door

Recessed Lifting Handles

Grip-Rite[™] Recessed Door ⊢ Opening Channels

Forklift Accessible From All Sides



Welded Corner Gussets


Fully Staked And Welded 3/8″ Hinge With 1″ Knuckles and Hardened 1/4″ Pin

Drawers Fully Extend For Easy Access

NEW EZ-Loader[®] Anti-Tip Skid Bolster



Hand or Foot-Operated Door Latch Release System



Extra-Heavy Duty Bin Cabinet

MOVEABLE STORAGE

and moving cabinet

Eight 4" heavy-duty casters open

and close cabinet. Casters included.

Hinge stop prevents cabinet from fully

opening and reduces potential for tipping

High center handles for opening, closing

1-693990	0-43419-94217-2	72″	24″	61″	49.0	59.1	522.0



Moveable top and bottom shelves, open storage closet for tall items and lockable storage locker create unique storage solutions

LATCHING HASP

*

- 10-gauge construction stops pry bars and cutting tools Reaches a full 4" to align and draw sides together Only key entry area of padlock
 - is exposed

Model #	UPC	L	w	н	Usable Cu. Ft.	Shipping Cu. Ft.	Shipping Wt. (Lbs.)	
Rolling Cla	n Shell Cabinet							
692990	0-43419-91073-7	62 1/2″	30″	63 1/2″	58.0	72.0	472.0	
the March States		the state of the second se	and the second second		and the second	Salarda and		-



675990

ROLLING WORK BENCHES



HIGH-CAPACITY, FULLY ADJUSTABLE INTERIORS for maximum storage flexibility and

convenience. Drawers and shelves are easy to move to match your requirements. Add additional drawers or shelves as needed

Drawers, Shelf, Handle 8

18-Ga. Steel Drawers have heavy-duty ball bearing glides. Model 678990 has 125-lb. capacity drawers. Other models have 75-lb. capacity drawers

Comes with 4" or 6" casters. Includes two fixed and two lockable swiveling casters

677990

676990

	Replacement Cast		
100 000	Description	For Models 675 & 676	For Models 677 & 678
	Shelf	604990	608990
	2 1/2″ Deep Drawer	605990	609990
	4 1/2" Deep Drawer	606990	610990
	5 1/2″ Deep Drawer	607990	611990
	10″ Deep Drawer	616990	617990
	Optional 2nd Push Handle	612990	Included

Model #	Description	UPC	L	w	н	Usable Cu. Ft.	Shipping Cu. Ft.	Shipping Wt. (Lbs.)	
Rollin	g Work Benches								
675990	2 Drawers, 2 Shelves, 4" Casters	0-43419-90912-0	43 7/8″	26 7/8″	38 1/2″	21.7	24.8	266.5	_
675996	2 Drawers, 2 Shelves, 6" Casters	0-43419-91257-1	43 7/8″	26 7/8″	40 1/2"	21.7	24.8	279.5	
676990	4 Drawers, 1 Shelf, 4" Casters	0-43419-90913-7	43 7/8″	26 7/8″	38 1/2″	21.7	24.8	294.0	_
676996	4 Drawers, 1 Shelf, 6" Casters	0-43419-91258-8	43 7/8″	26 7/8″	40 1/2"	21.7	24.8	307.0	
677990	Body with 6" Casters, Add Drawers & Shelve	es 0-43419-90914-4	49 7/8″	26 7/8″	40 5/8″	24.6	28.1	264.0	
678990	6 Drawers, 1 Shelf, 6" Casters	0-43419-91071-3	49 7/8″	26 7/8″	40 5/8″	24.6	28.1	342.0	

651990

678990

WELDER'S BOX & SMALL CHESTS

Welder's Box has cut-out for supply hoses

JOBD)

650990

COMPACT AND PORTABLE for flexible,

secure storage. Welder's Box has a notched corner for storing tools connected to supply hose. Model 651990 has Bolt Cutter Proof lock housing

1	Model #	Description	UPC	L	w				Shipping Wt. (Lbs.)
H. M.	Welde	r's Box &	Small Che	sts					
	650990	Welder's Box	0-43419-90363-0	30″	16″	12″	3.3	4.6	33.0
	651990	Embedded Lock	0-43419-90134-6	31″	18″	15 1/2″	4.0	5.7	70.0
	659990	Hasp Lock	0-43419-93273-9	30″	16″	12″	3.3	4.6	33.0



TRUCK STORAGE

JOBOX

JOBDX

1,74

TRUCK STORAGE SOLUTIONS FROM

JOBO)

Combine JOBOX premium truck storage products with the rugged durability of KargoMaster ladder racks and you've got an unparalled truck storage solution. With more security, more durability and more options, there is more reason than ever to trust your work truck to JOBOX.

A History of Leading In Innovation

Formed shortly after World War II, Delta Consolidated Industries made storage silos for the many farms in the Mississippi River delta area.

In response to customer requests, the company used its metal working experience to



build tool storage boxes for their trucks. As more truck owners saw these first truck boxes, the demand for them quickly outgrew orders for the silos.

The company expanded its selection of the truck boxes and started selling the first commerciallyproduced truck boxes. It had created an entirely new product category.

Today, our JOBOX Premium Truck Storage Solutions include many exclusive innovative features.

GEAR-LOCK II[™] LOCKING SYSTEM

- Self-adjusting dual rotary lock system on Crossovers, Innersides and Chests
- Ratcheting action pulls lid tight to resist over 2,000 lbs. of prying and pulling force
 Provides the highest level of security and moisture resistance available

SELF-ALIGNING LATCH HOOPS

- Cannot be bent or pried out of the lock
- Hoops pivot from side-to-side to automatically align in the Gear-Lock II[™] System
- Guarantees a tight seal first time–every time





StorAll[®] GRIP-AND-RELEASE[™] DRAWER STOP SAFETY SYSTEM

Grip the handle to release latching systemRelease the handle to lock the drawer in one of the multiple latching points

Allows safely opening and closing a fully loaded drawer when parked on an incline



FUEL-N-TOOL COMBO ALUMINUM LIQUID TRANSFER TANK WITH REMOVABLE CHEST

Offers the convenience of a 72-gallon capacity L-shaped transfer tank and a removable chest providing 4.5 cubic feet of secure storage space in one unit

JOBOX StorAll

LADDER RACKS WITH SUPERIOR CORROSION-RESISTANT FINISH

- KargoMaster Steel Ladder Racks have a superior corrosion-resistant and durable finish. No other rack offers a comparable finish
- Yellow zinc dichromate layer creates a moisture barrier and provides a better surface for the next layer to adhere to
- Marine-grade polyester epoxy powder paint finish has superior abrasion and corrosion resistance. Keeps its glossy appearance

ALL KargoMaster steel racks are YELLOW ZINC PLATED or PRIMED for SUPERIOR CORROSION PROTECTION!

Steel Tube

> Marine Grade Powder Coat



ALUMINUM CROSSOVERS



JOBOX

Most Models Available in Clearcoat and Black Finishes

GEAR-LOCK II[™] LOCKING SYSTEM

Self-adjusting dual rotary lock system

Ratcheting action pulls lid tight to resist over 2,000 lbs. of prying and pulling force
Provides the highest level of security and moisture resistance available



SELF-ALIGNING LATCH HOOPS

Cannot be bent or pried out of the lock
Automatically aligns in locking system
Guarantees a tight seal first timeevery time

RSL[™] DEEP BEVELED EDGE LID

RSL Rigid Structural Lid
 3-Layer Lid has an inner core


of rigid foam and reverse beveled liner for superior strength and rigidity

Creates superior moisture protection and security for your cargo

FOR COMPLETE FITMENT INFORMATION, PLEASE SEE PAGES 28-29

JAC1392980

JOBOX



Model #	Description/Finish	UPC	A	В	C	D	E	F	G	Cu. Ft.	Cu. Ft.	Wt. (Lbs.)
Alumin	um Single Lid Cro	ssovers										
JAC1387980	Fullsize Deep/Clearcoat	0-43419-92790-2	70 1/8″	60 1/8″	18 7/8″	12″	20 1/4″	21″	72″	10.7	17.7	75.0
JAC1387982	Fullsize Deep/Black	0-43419-92791-9	70 1/8″	60 1/8″	18 7/8″	12″	20 1/4	21″	72″	10.7	17.7	75.0
JAC1389980	Fullsize Deep & Extra-Wide/Clearcoat	0-43419-92796-4	70 1/8″	60 1/8″	18 7/8″	12″	29 1/4″	30″	72″	17.5	26.8	97.5
JAC1389982	Fullsize Deep & Extra-Wide/Black	0-43419-92797-1	70 1/8	60 1/8″	18 7/8″	12″	29 1/4″	30″	72″	17.5	26.8	97.5
JAC1379980	Fullsize Super Deep/Clearcoat	0-43419-92802-2	70 1/8″	60 1/8″	21 3/4″	14 7/8″	20 1/4″	21″	71 7/8″	13.0	22.1	80.0
JAC1379982	Fullsize Super Deep/Black	0-43419-92803-9	70 1/8″	60 1/8″	21 3/4″	14 7/8″	20 1/4″	21″	71 7/8″	13.0	22.1	80.0
JAC1388980	Deep Ford Super-Duty & Dodge Ram/Clearcoat	0-43419-92793-3	73 1/8″	63 1/8″	18 7/8″	12″	20 1/4″	21″	75″	12.5	19.7	79.0
JAC1388982	Deep Ford Super-Duty & Dodge Ram/Black	0-43419-92794-0	73 1/8″	63 1/8″	18 7/8″	12″	20 1/4″	21″	75″	12.5	19.7	79.0
JAC1391980	Midsize/Clearcoat	0-43419-92808-4	63 1/8″	52 1/2″	15 1/8″	8 1/4″	20 1/4″	21″	64 1/8″	8.0	11.5	70.0
Alumin	um Gull Wing Cro	ssovers										
JAC1392980	Fullsize Deep/Clearcoat	0-43419-92811-4	70 1/8″	60 1/8″	20 1/2″	12″	20 1/4″	21″	72″	11.7	19.8	64.0
JAC1392982	Fullsize Deep/Black	0-43419-92812-1	70 1/8″	60 1/8″	20 1/2″	12″	20 1/4″	21″	72″	11.7	19.8	64.0
JAC1393980	Compact/Clearcoat	0-43419-92814-5	60 1/4″	50 1/8″	14 1/2″	7 1/2″	20 1/4″	21″	62″	9.9	17.2	55.0
10000		and the second second	1420	2-12-2	12 · · ·	X	Hall St					1.0

5 YEAR LIMITED WARRANTY. See page 51 for details.



3

STEEL CROSSOVERS

JOBOX

JSC1394980

JSC1464980

GEAR-LOCK II[™] LOCKING SYSTEM

- Self-adjusting dual rotary lock system
- Ratcheting action pulls lid tight to resist over 2,000 lbs. of prying and pulling force
 Provides the highest level of security

and moisture resistance available

FOR COMPLETE FITMENT INFORMATION, PLEASE SEE PAGES 28-29

JOBOX

SELF-ALIGNING LATCH HOOPS

Cannot be bent or pried out of the lock
Automatically aligns in locking system
Guarantees a tight seal first timeevery time

DEEP BEVELED EDGE LID DESIGN

- Body fits deeper inside the lid keeping out wind driven rain and prying tools
- Creates superior moisture protection and security for your cargo

JOEOX

Heavy-Duty Gas Springs

Bulb-Shaped Automotive Weather Stripping

90° Lid Opening

Gas Spring Guards On Single Lid Models

Adjustable Lid Opening On Single Lid Models

Channel Reinforced Front Panel

Lift-Out Storage Tray With Movable Dividers

One-Piece Box Body Construction

> Full-Length Lock Console

ArmorBrite[®] Finish

Steel Crossovers feature our durable ArmorBrite[®] white powder paint finish for superior rust resistance

G		
		THE C
AB	A	E

Model #	Description	UPC	A	В	С	D	E	F	G			Shipping Wt. (Lbs.)
Steel Si	ingle Lid Crosso	overs										
JSC1394980	Fullsize Deep	0-43419-92790-2	70 1/8″	60 1/2″	18 7/8″	12″	20 1/4″	21″	72″	10.7	17.7	156.0
JSC1396980	Fullsize Deep, Extra-Wide	0-43419-92796-4	70 1/8″	60 1/8″	18 7/8″	12″	29 1/4″	30″	72″	17.5	26.8	191.0
JSC1395980	Deep Ford Super-Duty & Dodge Ram	0-43419-92793-3	74″	63″	18 7/8″	12″	20 1/4″	21″	74 7/8″	12.5	19.7	162.0
JSC1397980	Compact	0-43419-92805-3	61″	50″	12 7/8″	6″	20 1/4″	21″	61 7/8″	6.2	10.9	120.0
Steel G	ull Wing Crosse	over										
JSC1464980	Fullsize Deep	0-43419-92811-4	70 1/8″	60 1/8″	20 1/2″	12″	20 1/4″	21″	72″	11.7	19.8	142.0

5 YEAR LIMITED WARRANTY. See page 51 for details.

Full-Length Bolster Reinforcement

Self Aligning Lid Hoops

> Small Parts Storage Bins

Drill-Resistant Push Button Locks



CROSSOVER FITMENTS

Model Numbers Shown On Rows By Finish & Size FINISH Super Discrete Top PACINFY Super Discrete Top PACINFY By Finish & Size Clan Call Motinerse Motinerse Motinerse By Finish & Size Clan Call Motinerse Motinerse Motinerse By Finish & Size Clan Call Motinerse Motinerse Motinerse CHEVROLET & GMC Motinerse Motinerse Motinerse Motinerse Shwada & Simi 2500 All Models Motinerse Motinerse Motinerse Shwada & Simi 2500 All Models Motinerse Motinerse Motinerse Shwada & Simi 2500 All Models Motinerse Motinerse Motinerse Shwada & Simi 2500 All Models Motinerse Motinerse Motinerse Colorada & Gargon Regular & Scherded Cabl Motinerse Motinerse Motinerse DODCE Motinerse Motinerse Motinerse Motinerse Row 1500 Regular & Scherded Cabl Motinerse Motinerse Motinerse Dolore Both Solut Cabl Motinerse Motinerse Motinerse Row 1500 Regular & Scherded Cabl Motinerse Motinerse Motinerse Both Solut Cable Motinerse <td< th=""><th>500 25 25</th><th>and the second</th><th colspan="9">ALUMINUM CROSSOVERS</th></td<>	500 25 25	and the second	ALUMINUM CROSSOVERS								
By Finds & Stop Black JAC 1397082 JAC 138982 JAC 138982 CHEVROLET & GMC Image: Check of the stop of	Model Numbers	FINISH	SUPER DEEP	SINGLE LID DEEP FULLSIZE	DEEP	DEEP & EXTRA-					
CHEVROLET & GMC Image: Chevrolution of the standard & Storm 2500 & 3000 Silvarada & Storm 2500 & 3000 All Models Silvarada & Storm 2500 & 3000 Regular & Extended Cab Colorada & Caryon Ceve Cah DDDEE Image: Cab RAM 1500 Regular & Extended Cab RAM 1500 Maga: Cab Regular & Except Shyratite & Flancet Cab F-150 Shyleside Stort Edb F-150 Shyleside Stort Edb F-150 Shyles	Shown On Rows										
CHEVROLET & GMC Image: Control of the control of th	By Finish & Size		JAC1379982	JAC138/982	JAC1388982	JAC1389982					
Silveado & Sierra 1500 All Models Image: Contract of the second		Winte	the second			and the second second	1 million				
Silveradu & Sienz 2500 & 43500 All Models S-10 & S-15 Excludes Sportaile Colrando & Canyon Reputar & Extended Cab Colrando & Canyon Colverando & Canyon Colverando & Canyon Reputar & Extended Cab Colverando & Canyon Colverando & Canyon DDDGE Colverando & Canyon RAM 1500 Reputar & Cuad Cab RAM 1500 Reputar & Cuad Cab RAM 1500 Mega Cab RAM 200 & 3300 All Models Datas Colverando & Cuad Cab RAM 200 & Saton Colverando & Cuad Cab RAM 200 & Saton Colverando & Cuad Cab RAM 200 & Saton Colverando & Cuad Cab Baton Cubit & Nuese F150 D & Nuese Except Styleside & Flateside F-150 D & Nuese Except Styleside & Flateside F-150 D & Subside Standard & Long Bed F-150 D & Subside Standard & Cab F-150 D	CHEVROLET & GMC		12000	1.2.2	S. S. Star	120	199 July 19				
S-10 & S-15 Excludes Sportside Colorado & Caryon Regular & Extended Cab Colorado & Caryon Cirw Cab DODGE	Silverado & Sierra 1500	All Models	to:	and and and	- Lot		27. 19				
Colorado & Canyon Regular & Extended Cab Image: Cab DOGE Image: Cab Image: Cab RAM 1500 Regular & Duad Cab Image: Cab RAM 1500 Mega Cab Image: Cab Batria Club & Newer Except Styleside & Flanciscle F-1500 18 & Newer Except Styleside & Flanciscle Image: Cab F-1500 Styleside Standard & Extended Cab Image: Cab F-1500 18 & Older SWB Sundard & Extended Cab Image: Cab F-1500 18 & Older SWB Super Cab Image: Cab F-1500 18 & Older SWB Super Cab Image: Cab F-1500 18 & Older SWB Super Cab Image: Cab	Silverado & Sierra 2500 & 3500	All Models	5		2K	-1.	un -				
Coldizato & Canyon Crow Cab Image:	S-10 & S-15	Excludes Sportside	5				Sand 1				
DODGE RAM 1500 Regular & Quad Cab Image: Cab Image: Cab <th <="" cab<="" image:="" td=""><td>Colorado & Canyon</td><td>Regular & Extended Cab</td><td>And and</td><td>- 5-</td><td>State of the</td><td>Carlor A</td><td>- Aller</td></th>	<td>Colorado & Canyon</td> <td>Regular & Extended Cab</td> <td>And and</td> <td>- 5-</td> <td>State of the</td> <td>Carlor A</td> <td>- Aller</td>	Colorado & Canyon	Regular & Extended Cab	And and	- 5-	State of the	Carlor A	- Aller			
RAM 1500 Regular & Quad Cab Image:	Colorado & Canyon	Crew Cab	1 the	Port .		2	13				
RAM 1500 Mega Cab RAM 2500 & 3500 All Models Dakota Club & Qluad Cab FORD Club & Qluad Cab F-150 04 & Newer Except Syleside & Flareside F-150 Syleside Short Bed F-150 Syleside Standard & Long Bed F-150 03 & Older SWB Standard & Extended Cab F-150 03 & Older SWB Standard & Extended Cab F-150 03 & Older SWB Standard & Extended Cab F-150 03 & Older SWB Standard & Extended Cab F-150 03 & Older SWB Standard & Extended Cab F-150 03 & Older SWB Standard & Extended Cab F-150 03 & Older SWB Standard & Extended Cab F-150 03 & Older SWB Standard & Extended Cab F-150 03 & Older SWB Standard & Extended Cab F-150 03 & Older SWB Standard & Extended Cab F-150 03 & Older SWB Standard & Extended Cab F-150 03 & Older SWB Standard & Extended Cab F-150 03 & Older SWB Standard & Extended Cab F-250 & F-350 Short Bed F-250 & F-350 Short Bed F-250 & F-350 Shyleside Standard & Long Bed B-2000, F-290 & F-370 All Models MITSUBSHI Image: Raider All Models MISSAN Im			1 1 1 1	1000		the set					
RAM 2500 & 3500 All Models Image: Standard & Long Bed Image: Standard & Long Bed F-150 VM & Newer Except Styleside & Flareside Image: Standard & Long Bed Image: Standard & Long Bed F-150 Styleside Standard & Extended Cab Image: Standard & Long Bed Image: Standard & Long Bed F-150 VM & Standard & Extended Cab Image: Standard & Extended Cab Image: Standard & Extended Cab Image: Standard & Extended Cab F-150 VM & Standard & Extended Cab Image: Standard & Extended Cab Image: Standard & Extended Cab Image: Standard & Extended Cab F-150 VM & Standard & Extended Cab Image: Standard & Extended Cab Image: Standard & Extended Cab Image: Standard & Extended Cab F-150 VM & Standard & Extended Cab Image: Standard & Extended Cab Image: Standard & Extended Cab Image: Standard & Extended Cab F-150 VM & Standard & Extended Cab Image: Standard & Extended Cab Image: Standard & Extended Cab Image: Standard & Extended Cab F-150 VM & Standard & Extended Cab Image: Standard & Extended Cab Imag	RAM 1500	Regular & Quad Cab	21	1	6 - K	· Nach					
RAM 2500 & 3500 All Models Image: Standard & Long Bed Image: Standard & Long Bed F-150 VM & Newer Except Styleside & Flareside Image: Standard & Long Bed Image: Standard & Long Bed F-150 Styleside Standard & Extended Cab Image: Standard & Long Bed Image: Standard & Long Bed F-150 VM & Standard & Extended Cab Image: Standard & Extended Cab Image: Standard & Extended Cab Image: Standard & Extended Cab F-150 VM & Standard & Extended Cab Image: Standard & Extended Cab Image: Standard & Extended Cab Image: Standard & Extended Cab F-150 VM & Standard & Extended Cab Image: Standard & Extended Cab Image: Standard & Extended Cab Image: Standard & Extended Cab F-150 VM & Standard & Extended Cab Image: Standard & Extended Cab Image: Standard & Extended Cab Image: Standard & Extended Cab F-150 VM & Standard & Extended Cab Image: Standard & Extended Cab Image: Standard & Extended Cab Image: Standard & Extended Cab F-150 VM & Standard & Extended Cab Image: Standard & Extended Cab Imag	RAM 1500	Mega Cab			10- No	9 - ×					
FORD Except Styleside & Flareside Image: Stort Bed Image: Stort Bed F-150 Vbleside Stort Bed Image: Stort Bed	RAM 2500 & 3500			-	7		. St.				
F-150 '04 & Newer Except Styleside & Flareside Image: Comparison of the compa	Dakota	Club & Quad Cab		Luce The	7 3		P				
F-150 Styleside Short Bed Image: Cab Image: Ca	FORD	and the second	All and		1 300	of the s	The state				
F-150 Styleside Standard & Long Bed •	F-150 '04 & Newer	Except Styleside & Flareside	1.222			152					
F-150 Flareside Standard Bed Image: Cab Image:	F-150 Styleside	Short Bed	and the second	and the	ALL ST.		1				
F-150 03 & Older SWB Standard & Extended Cab •<	F-150 Styleside	Standard & Long Bed		1.	and and the		A LA				
F-150 '03 & Older LWB Standard & Extended Cab Image: Cab	F-150 Flareside	Standard Bed				A	1. 1. 1. 1.				
F-150 '03 & Older SWB Super Cab Image: Cab Image: Cab <th ima<="" td=""><td>F-150 '03 & Older SWB</td><td>Standard & Extended Cab</td><td>1</td><td></td><td>1.20</td><td>1.1.1.1</td><td></td></th>	<td>F-150 '03 & Older SWB</td> <td>Standard & Extended Cab</td> <td>1</td> <td></td> <td>1.20</td> <td>1.1.1.1</td> <td></td>	F-150 '03 & Older SWB	Standard & Extended Cab	1		1.20	1.1.1.1				
F-150 '03 & Older LWB Super Cab Image: Cab Ima	F-150 '03 & Older LWB	Standard & Extended Cab	1			13 M	1				
F-150 '03 & Older 4-Dr. Cab Image:	F-150 '03 & Older SWB	Super Cab			and the second	where .					
F-250 & F-350 Short Bed Image: Constraint of the standard & Long	F-150 '03 & Older LWB	Super Cab	1	12.			no the				
F-250 & F-350 Long Bed Image: Imag	F-150 '03 & Older	4-Dr. Cab	- Aller		and me		- and				
F-250 & F-350 Styleside Standard & Long Bed Image: Composition Ima	F-250 & F-350	Short Bed	10-FK			121. 121. 12					
RangerExcept SportsideImage: Constraint of the sector of the secto	F-250 & F-350	Long Bed					122 - 2				
ISUZU Image: Support of the support	F-250 & F-350	Styleside Standard & Long Bed			a		1.4				
ISUZU Image: Support of the support	Ranger	Except Sportside	general To	the service		- Ching and	- 0.				
MAZDA Image: Maximum state of the state				a state	and the second	n and an					
B-2300, B02500 & B-4000 All Models Image: Constraint of the second	B-2000, i-290 & i-370	All Models	S. S. Contraction	and the	A-1-1-4-30	Englands.					
MITSUBSHI Image: Second seco	MAZDA			1 2 2 1			The state				
Raider All Models Image: Constraint of the second	B-2300, B02500 & B-4000	All Models	200	20-24		1 - 1					
NISSAN AND AND AND AND AND AND AND AND AND A	MITSUBSHI		E.		and the state of the		195				
	Raider	All Models			A. A.		20				
Tites Chandred Oak	NISSAN	the store of the store	1	6 7 4			1				
	Titan	Standard Cab	2. 2 ³⁴ 2 3		and the second	しきまい	1 to				
Titan Crew Cab	Titan	Crew Cab	12				A				
Titan King Cab	Titan	King Cab	1.1	22.	1 1 1 1 2 -	bor and					
Frontier All Models	Frontier		2/	-	e se t	· And	14				
TOYOTA		and the test	1.			1 1 - P					
Tundra Regular & Double Cab	Tundra	Regular & Double Cab			7		1.				
Tundra CrewMax Cab			時に注意し		1		1				
Tacoma All Models	a trajeta		and the second sec		1 200	and.	The state				
All and the second seco		and the second se	int 2	150	and a	12- 5-00					

				STEEL CROSSOVERS							
1. A	SINGLE LID MID-SIZE	GULL WING DEEP FULLSIZE	GULL WING Compact	SINGLE LID DEEP FULLSIZE	SINGLE LID DEEP	SINGLE LID DEEP & EXTRA- SUPER-DUTY & RAM	SINGLE LID COMPACT WIDE FULLSIZE	GULL WING DEEP FULLSIZE			
	JAC1391980	JAC1392980 JAC1392982	JAC1393980			- The	1º				
	7. 7. 5	JAC 1352302		JSC1394980	JSC1395980	JSC1396980	JSC1397980	JSC1464980			
1		-			1 hours		Star 1				
			1 2 2 2		S-5100	and the second	- Sec				
	2	and				* deni	and the second				
the second	A CONTRACT	1	-			and the					
-	1	A. C. C.	2000	and the second	The second	the second	7				
-	27.22	X		and the second and		1		The month of			
and the second	-		and the second		and the	- Charles	March 1				
Then is	1		1.1.1.1.1		5-1-2		14				
	and a second	1.4	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				1				
	11792					· · · · · · · · ·	900				
1 2		1	2.4	1	1115	Land and a second	Ser .				
		and the second	and the second		store in	1.12					
	and the		the states of			1 200 - 200 - 2	The second second	- marine			
	-64		1 10 1			1					
	1100		and a		nit with		and the second	and the second			
					-						
		-				the second	and the second				
and the	-		the second	-			Test	-			
	-					the second	the per	122 - Ct			
					-	the state of the s		Der Part			
		- 44	and the second	and	2.2	2 2 2 2	and the second second				
			1				The state	the ac			
	and the second	1.47	1		a	54	10 - 1-	2			
	-	A 621		14		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Nº 14			
	Ster.		10		- Par	13 Barris	1.				
	Sec. 3	Not in		and a second	- 7	2		A Control			
		- 71-53		and the second	-2	S. A. F.L.	and a second				
A M	1 m m	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1		1		and a strength	State /				
2	35.7 12	All And And		the states	- Parte		and the				
The b	the state	and the			12						
- m	-	-	4 miles	1000				-			
-	S		ast -	-	1	and the second	1				
		Care -		and the second			-	and a state of the second			
	1										
	Card I	the state			1						
			11								
	1	and and			1						
1		1				1		-			
	and the second		1.2		* N						
		States in	· · · · ·					A CONTRACTOR OF THE OWNER			



INNERSIDES

6

JOBOX

GEAR-LOCK II[™] LOCKING SYSTEM

JOBOX

0

- Self-adjusting dual rotary lock system
- Ratcheting action pulls lid tight to resist over 2,000 lbs. of prying and pulling force
- Provides the highest level of security and moisture resistance available

SELF-ALIGNING LATCH HOOP


- Cannot be bent or pried out of the lock
- Automatically aligns in locking system
- Guarantees a tight seal first time-every time

DEEP BEVELED EDGE LID DESIGN

Body fits deeper inside the lid keeping out wind driven rain and prying tools creatings superior moisture protection

FULL-LENGTH STORAGE BIN

Bin provides quick and easy access to small parts and tools



Includes support legs and mounting kit

Usable Shipping Shipping Model # Description/Finish UPC A B C D E F G Cu. Ft. Cu. Ft. Wt. (Lbs.)

Aluminum Innersides

JAN1444980	47"/Clearcoat	0-43419-92820-6	46″	13 3/4″	6 7/8″	14 3/4″	8 1/2″	46 3/4″	14 3/8″	2.9	6.5	36.5
JAN1444982	47"/Black	0-43419-92821-3	46″	13 3/4″	6 7/8″	14 3/4″	8 1/2″	46 3/4″	14 3/8″	2.9	6.5	36.5
JAN1445980	58″/Clearcoat	0-43419-92823-7	57″	13 3/4″	6 7/8″	14 3/4″	8 1/2″	57 3/4″	14 3/8″	3.6	7.9	41.5
JAN1445982	58″/Black	0-43419-92824-4	57″	13 3/4″	6 7/8″	14 3/4″	8 1/2″	57 3/4″	14 3/8″	3.6	7.9	41.5
JAN1447980	Extra-Wide 47″/Clearcoat	0-43419-92826-8	46″	13 3/4″	6 7/8″	17″	11 1/8″	46 3/4″	17 1/4″	3.6	7.4	39.0
JAN1447982	Extra-Wide 47"/Black	0-43419-92827-5	46″	13 3/4″	6 7/8″	17″	11 1/8″	46 3/4″	17 1/4″	3.6	7.4	39.0
JAN1448980	Extra-Wide 58″/Clearcoat	0-43419-92829-9	57″	13 3/4″	6 7/8″	17″	11 1/8″	57 3/4″	17 1/4″	4.5	9.0	44.5
JAN1448982	Extra-Wide 58"/Black	0-43419-92830-5	57″	13 3/4″	6 7/8″	17″	11 1/8″	57 3/4″	17 1/4″	4.5	9.0	44.5
Steel In	nersides											
JSN1505980	47"/White	0-43419-92850-3	46″	13 5/8″	6 7/8″	14 5/8″	8 1/2″	46 1/2″	14 1/8″	2.9	6.5	74.5
JSN1506980	58″/White	0-43419-92852-7	57″	13 5/8″	6 7/8″	14 5/8″	8 1/2″	57 1/2″	14 1/8″	4.5	8.0	86.5
JSN1507980	86"/White	0-43419-92854-1	85″	13 5/8″	6 7/8″	14 5/8″	8 1/2″	85 1/2″	14 1/8″	5.4	11.4	116.0
JSN1509980	Extra-Wide 47″/White	0-43419-92856-5	46″	13 5/8″	6 7/8″	17 1/4″	8 1/2″	46 1/2"	16 3/4″	3.6	7.4	80.0
JSN1510980	Extra-Wide 58″/White	0-43419-92858-9	57″	13 5/8″	6 7/8″	17 1/4″	8 1/2″	57 1/2″	16 3/4″	4.9	9.0	96.5

5 YEAR LIMITED WARRANTY. See page 51 for details.



TRUCK CHESTS

- Gear-Lock II[™] Locking System has selfadjusting dual rotary locks. Ratcheting action pulls the lid tight to resist over 2,000 pounds of prying or pulling force. Provides the highest level of security and moisture resistance
- Self-Aligning Latch Hoop pivots from side-toside to align with the Gear-Lock II[™] Dual Rotary Lock System
- **Heavy-Duty Gas Spring Guards** protect the gas springs from damage and jamming
- **High-Strength Deep Beveled Edge Lid** provides increased strength and superior weather protection

RECESSED HINGE ON ALL CHESTS

Allows lid to be raised fully even when chest is placed flush against truck bed wall



Also available in Black Finish


JOBOX

STEEL HEAVY-DUTY CHEST

High Strength Beveled Edge Lid is reinforced with full-length bolsters

JOBDX

- **Sliding Tray** for small parts and tools
- Leak-Proof Stainless Steel Paddle Handles and full weather stripping keep out moisture
- Dual Gas Spring Lid Lifts for easy opening lid



Model #	Description/Finish	UPC	A	В	С	D	Е	Usable Cu. Ft.	Shipping Cu. Ft.	Shipping Wt. (Lbs.)
Alumir	num & Steel Ches	ts with Gea	ar-Loc	k II [™] I	lock	ing Sy	stem			
JAH1426980	Fullsize Aluminum/Clearcoat	0-43419-92832-9	59 3/8″	58 1/2″	19″	20 5/8″	20 1/4″	10.2	14.1	49.0
JAH1426982	Fullsize Aluminum/Black	0-43419-92833-6	59 3/8″	58 1/2″	19″	20 5/8″	20 1/4″	10.2	14.1	49.0
JSH1434980	Fullsize Steel/White	0-43419-92860-2	59 1/8″	58 1/2″	19″	20 1/2″	20 1/4″	10.2	14.2	121.0
Steel H	eavy-Duty Chest									
817980	Fullsize/White	0-43419-90601-3	59 1/8″	58 1/2″	19″	20 1/2″	20 1/8″	10.2	15.7	129.0

5 YEAR LIMITED WARRANTY. See page 51 for details.



Storall STEEL DRAWER STORAGE

Extreme Durability, Safety, and Versatility

UP TO 50% MORE DRAWER WEIGHT CAPACITY THAN COMPETITIVE PRODUCTS

650-lb. drawer weight capacity

Drawer travels on 1,000-lb. rated rear roller bearings and 250lb. rated front conveyor bearings. Rear bearings ride inside 12-gauge steel channels

Makes opening and closing heavy drawers easy

GRIP-AND-RELEASE™ DRAWER STOP SAFETY SYSTEM

Release handle and the drawer safely locks into position

Allows you to safely open and close heavy drawers on sloped surfaces

UP TO 20% MORE STORAGE CAPACITY

Both Front-to-Rear sectional dividers and bin dividers are adjustable

Customize your drawer to fit your specific storage needs

Built-In Rain Gutter Channel Anti-Skid Strips

100% 14-Ga. Steel Plate Outer Cabinet

Steel Plunger Engages Internal Drawer Stops

> Adjustable Or Removable Front-To-Rear Section Dividers On 24", 36" And 48" Wide Models

> > Full Automotive Bulb Weather Stripping

Steel Bearing Tractors With 1,000-Lb. Rated Bearings

Steel Mounting Brackets Engage Rear and Center Skids Cabinet Top And Bottom Reinforced With 12-Ga. Steel Channels

Welded 12-Ga. Main Divider On 36^{°°} and 48^{°°} Wide Models

> 16-Ga. Galvanized Movable Bin Dividers

Drawer Has A 650-Lb. Load Rating Recessed Drawer Front Protects Handles From Damage

DRAWER: • 10-Ga. Steel Back • 12-Ga. Steel Front, Bottom, Sides And Center Divider

	Body Width	Model	UPC	Drawer Width	Number of Drawer Compartments		Number of Galvanized Dividers	Usable Cubic Ft.	Shipping Cubic Ft.	Shipping Weight
	9″ Tall I	Drawer Units:	All Models 48" Long Wi	th 5″ Deep	Drawer					
	12″	661980	0-43419-91620-3	9″	1	0	7	1.0	5.0	115.0
2	24″	662980	0-43419-91621-0	21″	2	1	13	2.3	10.0	180.0
	36″	663980	0-43419-91622-7	33″	3	2	19	3.6	15.3	222.0
S.	48″	664980	0-43419-91623-4	45″	4	3	24	5.0	20.0	255.0
121	13″Tall	Drawer Units	: All Models 48" Long W	'ith 9″ Dee	p Drawer					
	12″	665980*	0-43419-91624-1	9″	1	0	7	1.8	6.3	155.0
-	24″	666980	0-43419-91625-8	21″	2	1	13	4.2	12.6	245.0
	36″	667980	0-43419-91626-5	33″	3	2	19	6.6	19.0	305.0
-	48″	668980	0-43419-91627-2	45″	4	3	24	9.0	25.3	380.0

5 YEAR LIMITED WARRANTY. See page 51 for details.



ALUMINUM DRAWER STORAGE

Convenient, Versatile Drawer Storage Systems 140698

.125 Aluminum tops support up to 200-lb. load per sq. ft.

Heavy-Duty Drawer Glides

- Extruded heavy-duty drawer glides support up to 75 lbs. per drawer
- Latches automatically lock the drawers when closed. Latch releases above the handles are easy to reach
- Pins prevent the drawers from rolling off the glides They are easy to remove when the drawers need to be removed

Versatile Drawers & Dividers

Nine models available

- 50" Long Floor Models with one, two, three or four drawers
- 50" Long One-Drawer Wide Stacked Models with two, three or four drawers
- 26" Long Models with one or two rows of three drawers
 - Moveable dividers to create different size bins. Additional dividers are available





1403980

Drawer storage is perfect for use in service vans, minivans, SUV's or motorhome basements. Removable dividers allow for segmenting small and larger tools,

supplies or parts. Heavy-gauge aluminum is light enough for easy mobility and transport and durable enough to stand up to heavy loads on top of and in drawers

Four Stacked Models

1404980



1409980 12[°] Wide Stacked Four Drawer Model

Five Floor Models

-1-

Floor Model With Four Drawers

Model #	Description	UPC	L	w	н	Shipping Cu. Ft.	Shipping Wt. (Lbs.)
50″ Long I	Floor Models With One, Two, Three or Four	Drawers					
1401980	1-DRAWER 50" L. FLOOR MODEL	0-43419-93162-6	50″	12″	6″	2.7	31.0
1402980	2-DRAWER 50" L. FLOOR MODEL	0-43419-93163-3	50″	24″	6″	5.2	61.0
1403980	3-DRAWER 50" L. FLOOR MODEL	0-43419-93164-0	50″	36″	6″	7.6	89.0
1404980	4-DRAWER 50" L. FLOOR MODEL	0-43419-93165-7	50″	48″	6″	10.1	119.0
50″ Long (One-Drawer Stacked Models Two, Three or	Four Drawers					
1407980	2-DRAWER 50" L. STACKED MODEL	0-43419-93168-8	50″	12″	12″	5.0	59.0
1408980	3-DRAWER 50" L. STACKED MODEL	0-43419-93169-5	50″	12″	18″	7.3	85.0
1409980	4-DRAWER 50" L. STACKED MODEL	0-43419-93170-1	50″	12″	24″	9.2	114.0
26" Long I	Floor Model With Three Drawers						
1405980	3-DRAWER 26" L. FLOOR MODEL	0-43419-93166-4	26″	36″	6″	4.0	51.0
26" Long S	Stacked Model With Six Drawers						
1406980	6-DRAWER 26" L. FLOOR MODEL	0-43419-93167-1	26″	36″	12″	7.5	81.0
Drawer D	ividers						
1410980	PLASTIC DRAWER DIVIDERS (Quantity 1)	0-43419-93171-8				n/a	0.2

5 YEAR LIMITED WARRANTY. See page 51 for details.



STEEL UNDERBEDS

NEW & IMPROVED DESIGN



Steel Models Available in Armor-Brite™ White or Black Powder Paint

3-POINT LOCKING SYSTEM

System locks the door at the top and both sides for strength and security. It draws the highstrength door tight against the bulb-shaped weather stripping to seal out moisture and dust

INDUSTRIAL-GRADE STEEL HINGES

Rugged 3″ long, 7/8″ outside diameter hinges with 1/2″ diameter stainless steel pin

OUICK-RELEASE KEYWAY CONNECTORS

Connectors allow the door end of the support cable to be easily and quickly disconnected to allow the door to drop down



DROP DOWN DOOR

Exclusive new design allows door to drop down out of the way for easier loading and unloading of large, heavy or awkward equipment

SEE NEXT PAGE FOR ALL MODELS

ONE-PIECE LOCK HOUSING

Heavy-duty steel housing covers the locking system and locking rods to prevent damage and jamming. Housing adds extra strength to the door

EXTENDED RAIN GUTTER

3/4" wide rain gutter surrounds the door opening to channel moisture around the opening to protect the contents

ROTATING T-HANDLE

T-handle draws the door tight against the weather stripping and locks at 3-points. Reinforced cam lock for superior security



ALUMINUM **NDERBED**

.100-GAUGE ALUMINUM

High-strength door construction with continuous 3/8" dia. hinge with 1" knuckles for superior strength and durability

3-POINT LOCKING SYSTEM

System locks the door at the top and both sides for superior strength and security. It draws the high-strength door tight against the bulb-shaped weather stripping to seal out moisture and dust

Rotating handle draws the door tight against the

18" x 18"-Model 228000

24" x 24"-Model 229000

Cu. Ft.

2.9

Shipping Shipping

Wt. (Lbs.

25.0

ROTATING T-HANDLE

Shipping Shipping weather stripping and locks it at 3-points. Drill-H Cu. Ft. Wt. (Lbs. resistant lock cylinder prevents break-ins 14" Tall Black Steel Underbed Boxes 12″ 2.9 49.0 2.4″ 14″ 12" 14 4.4 67.0 14″ 3.8 55.0 2.4 16″ **MOUNTING BRACKETS** 14″ 5.6 36″ 16 76.0 Heavy-Duty 2" C-Channel Brackets For Mounting **Tall Black Steel Underbed Boxes** Underbed Boxes. Bracket Have Multiple Mount-18″ 18″ 18 4.0 55.0 ing Holes For Easy Installation. Sold In Pairs. 24″ 18″ 18 5.3 68.0 6.6 80.0 30" 18 18 8.9 36 18″ 18^ 92.0 48^ 18″ 18″ 10.5 117.0 Model # UPC 18″ 18 13.1 142.0 60" 14" Tall Aluminum Underbed Box 15.7 72." 18″ 18^ 168.0 0-43419-91307-3 24" 755980 **Tall Black Steel Underbed Boxes** 2.4″ 2.4″ 2.4″ 9.1 94.0

110.0

126.0

158.0

190.0

55.0

68.0

80.0

11.4

13.6

18.0

22.7

4.0

5.3

6.6

18 1	fall Alum i	inu	m U	ndei	bed E	Soxes
756980	0-43419-91308-0	18″	18″	18″	4.0	35.0
757980	0-43419-91309-7	24″	18″	18″	5.3	40.0
758980	0-43419-91310-3	30″	18″	18″	6.6	44.0
759980	0-43419-91311-0	36″	18″	18″	7.9	48.0
761980	0-43419-91313-4	48″	18″	18″	10.5	61.0
762980	0-43419-91314-1	60″	18″	18″	13.1	74.0

Ŵ

12″

H

14″

24" Tall Aluminum Underbed Boxes

764980	0-43419-91316-5	24″	24″	24″	9.1	94.0
765980	0-43419-91317-2	30″	24″	24″	11.4	110.0
766980	0-43419-91318-9	36″	24″	24″	13.6	126.0
767980	0-43419-91319-6	48″	24″	24″	18.0	158.0
768980	0-43419-91320-2	60″	24″	24″	22.7	190.0

5 YEAR LIMITED WARRANTY. See page 51 for details.

744980 0-43419-91296-0 18″ 18″ 7.9 92.0 36 745980 0-43419-91297-7 48 18″ 18″ 10.5 117.0 746980 0-43419-91298-4 60' 18″ 18 13.1 142.0 747980 0-43419-91299-1 72 18 18″ 15.1 168.0

Model # UPC

727980

728980

729980

731980

18″

732980

733980

734980

735980

738980

739980

740980

24″

748980

749980

750980

752980

754980

18″ 741980

742980

743980

0-43419-91279-3

0-43419-91280-9

0-43419-91281-6

0-43419-91283-0

0-43419-91284-7

0-43419-91285-4

0-43419-91286-1

0-43419-91287-8

0-43419-91290-8

0-43419-91291-5

0-43419-91292-2

0-43419-91300-4

0-43419-91301-1

0-43419-91302-8

0-43419-91304-2

0-43419-91306-5

0-43419-91293-9

0-43419-91294-6

0-43419-91295-3

36

30^

36

48

60″

18

24″

30^

24″

24

24

24″

18″

18″

18″

Tall White Steel Underbed Boxes

2.4

2.4

24

24″

18″

18^

18″



TOPSIDES

ALUMINUM Topsides Feature .100 Gauge Aluminum reinforced doors, center posts and ends

STEEL Topsides Feature 14-Gauge Steel reinforced doors, center posts and ends

Automotive-Style Bulb Weather Stripping surrounds the door opening to seal out moisture and dust



JOBOX

0

Available ClearCoat, Black Powder Paint or Unpainted Finishes



Available in Armor-Brite[®] White or Black Powder Paint

THREE-POINT LOCKING SYSTEM

Doors are locked at the top and both sides to resist breakins. Covers protect the locking system and reinforce the high-strength doors

HIGH STRENGTH DOOR CABLES

High-strength coated galvanized steel aircraft cable door supports handle 300-lb. load

FULL-LENGTH PIANO HINGES

JOBOX

Full-length hinge on each door provides extra security against break-ins and gives extra durability and reliable service

TALL, REINFORCED DOOR FRAMES

 12" tall door openings for easier access. Door frames are recessed for superior strength and security

ROTATING T-HANDLES

Handles have reinforced cam locks and are sealed to prevent moisture form getting inside



47" Models have one door











Aluminum Standard-Capacity Topsides B7598 477/Descont 0-44419-81470-4 47 13/07 18/11/87 40/11/6 12 6.4 6.1 44.0 B75982 477/Descont 0-44419-81894 47 13/07 18/11/87 40/11/6 12 6.4 6.1 44.0 B65980 277/Descont 0-44419-91894 72 13/07 16/11/06 30/16 12 8.4 10.0 B600 B68882 777/Descont 0-43419-91824 72 13/07 16/11/06 37/016 12 10.1 12.6 77.0 B65890 877/Descont 0-43419-91890-7 87 13/07 16/11/06 37/01 12 10.1 12.6 77.0 B65892 877/Back 0-43419-91890-7 87 13/016 10/116 42/116 12 10.1 16.0 77.0 B65892 877/Deacont 0-43419-91890-7 87 13/016 10/116 42/116 12 10.1 16.0 12.0	Model #	Description/Finish	UPC	A	в	С	D	E	Usable Cu. Ft.	Shipping Cu. Ft.	Shipping Wt. (Lbs.)
B57980 47% Clearcoat 0.43419 91470-4 47 13 3/16* 16 11/16* 40 1/16* 12* 5.4 6.1 44.0 B67982 47% Diack 0.43419 91991.4 47 13 3/16* 16 11/16* 40 1/16* 12* 5.4 6.1 44.0 B66980 72% Diack 0.43419 91894.4 72* 13 3/16* 16 11/16* 30 1/16* 12* 8.4 10.6 560 B66980 97% Diack 0.43419 91894.7 67* 13 3/16* 16 11/16* 37 9/16* 12* 10.1 12.6 77.0 B69898 967 Diack 0.43419 91894.7 67* 13 3/16* 16 11/16* 37 9/16* 12* 10.1 12.6 77.0 B69898 967 Diack 0.43419 91894.7 67* 13 3/16* 16 11/16* 42 1/16* 12* 11.3 14.0 78.0 ALMINITUR High-Capacity Topsides 54380 477 Klaacoat 0.43419 91890.4 47* 16* 18 11/16* 40 1/16* 14* 7.1 8.1 505 54380 477 Klaacoat 0.43419 91800.4 67* 16	Alumi	num Standard	-Capacity I	opsi	des						
B66980 727/Charcout 0.43419-91471-1 72 13.3/16* 16 11/16* 30.1/16* 127 8.4 10.6 59.0 866980 677/Cleatcout 0.43419-91472-8 67* 13.3/16* 16 11/16* 37.9/16* 127 10.1 12.6 77.0 866980 677/Cleatcout 0.43419-91749-5 96* 13.3/16* 16 11/16* 37.9/16* 127 10.1 12.6 77.0 869980 967/Cleatcout 0.43419-91749-5 96* 13.3/16* 16 11/16* 127 11.3 14.0 78.0 859880 967/Cleatcout 0.43419-91749-5 96* 13.3/16* 16 11/16* 127 1.3 14.0 78.0 Aluminum High-Capacity Topsides 53390 47/Cleatcout 0.43419-91799-4 47* 16* 18 11/16* 40 1/16* 14* 7.1 8.1 50.5 543982 47/2leatco 0.43419-91990-4 65* 16* 18 11/16* 26 9/16* 14* 9.9 11.2 68.5				_		16 11/16″	40 1/16″	12″	5.4	6.1	44.0
B66982 TZTBlack 0-43419-9198-4 TZ 13 3/16* 16 11/16* 30 1/15* 12* 8.4 10.6 95.0 866980 877/Clauccoat 0-43419-91928.8 87* 13 3/16* 16 11/16* 37 9/16* 12* 10.1 12.6 77.0 866982 877/Clauccoat 0-43419-91990-7 96* 13 3/16* 16 11/16* 12* 10.1 12.6 77.0 869982 967/Black 0-43419-91990-7 96* 13 3/16* 16 11/16* 42 1/16* 12* 11.3 14/0 78.0 859982 967/Black 0-43419-91990-6 47* 16* 18 11/16* 40 1/16* 14* 7.1 8.1 80.5 543982 477/Black 0-43419-91990-6 65* 16* 18 11/16* 40 1/16* 14* 7.1 8.1 80.5 544982 657/Black 0-43419-91990-6 65* 16* 18 11/16* 28 9/16* 14* 9.9 11.2 88.5 544982 657/Black </td <td>857982</td> <td>47"/Black</td> <td>0-43419-91991-4</td> <td>47″</td> <td>13 3/16″</td> <td>16 11/16″</td> <td>40 1/16″</td> <td>12″</td> <td>5.4</td> <td>6.1</td> <td>44.0</td>	857982	47"/Black	0-43419-91991-4	47″	13 3/16″	16 11/16″	40 1/16″	12″	5.4	6.1	44.0
B68980 87/Clearcoat 0-43419-91472-8 67 13 3/16 16 11/16 37 9/16 12" 10.1 12.6 77.0 B68982 87/Clearcoat 0-43419-91989-1 87 13 3/16" 16 11/16" 37 9/16" 12" 10.1 12.6 77.0 B69982 97/Clearcoat 0-43419-91783-5 96" 13 3/16" 16 11/16" 42 1/16" 12" 11.3 14.0 78.0 B69982 97/Elack 0-43419-91799-6 47" 16" 18 11/16" 42 1/16" 12" 11.3 14.0 78.0 B43980 477/Clearcoat 0-43419-91789-6 47" 16" 18 11/16" 40 1/16" 14" 71 8.1 60.5 E43980 477/Clearcoat 0-43419-91899-1 47" 16" 18 11/16" 20 9/16" 14" 9.9 11.2 68.5 E44982 67/Clearcoat 0-43419-91890-4 67" 15" 18 11/16" 20 9/16" 14" 13.2 15.1 87.5 E44	866980	72″/Clearcoat	0-43419-91471-1	72″	13 3/16″	16 11/16″	30 1/16″	12″	8.4	10.6	59.0
B68982 67/7Black 0-43419-91989-1 67 13.3/16 16.1/16 37.9/16 12'' 10.1 12.6 77.0 B69980 957(Daaccoat 0-43419-91980-7 96'' 13.3/16'' 16.1/16'' 42.1/16'' 12'' 11.3 14.0 78.0 B69982 967(Black 0-43419-91980-7 96'' 13.3/16'' 16.1/16'' 42.1/16'' 12'' 11.3 14.0 78.0 B49982 967(Black 0-43419-91980-4 47'' 16'' 18.11/16'' 40.1/16'' 14'' 7.1 8.1 50.5 543982 477(Daaccoat 0-43419-91980-4 65'' 16'' 18.11/16'' 29.916'' 14'' 9.9 11.2 68.5 544980 657(Black 0-43419-91993-4 65'' 18.11/16'' 37.916'' 14'' 9.9 11.2 68.5 545982 67/Black 0-43419-91994-4 87'' 16'' 18.11/16'' 37.916'' 14'' 13.2 15.1 87.5 550982	866982	72″/Black	0-43419-91988-4	72″	13 3/16″	16 11/16″	30 1/16″	12″	8.4	10.6	59.0
B99980 B67/Clearcoat 0-43419-91743-5 B67 13.3/16* 16.11/16* 42.1/16* 12* 11.3 14.0 78.0 B69982 957/Hack 0-43419-91990-7 95* 13.3/16* 16.11/16* 42.1/16* 12* 11.3 14.0 78.0 Aluminum High-Capacity Topsides 54380 477/Clearcoat 0-43419-91920-7 95* 13.3/16* 16.11/16* 42.1/16* 14* 7.1 8.1 50.5 54380 477/Clearcoat 0-43419-91920-4 47* 16* 18.11/16* 40.01/16* 14* 7.1 8.1 50.5 544802 657/Clearcoat 0-43419-91920-8 65* 16* 18.11/16* 37.9/16* 14* 13.2 15.1 87.5 545802 877/Back 0-43419-91920-8 87* 16* 18.11/16* 37.9/16* 14* 13.2 15.1 87.5 545802 877/Back 0-43419-91020-8 87* 16* 18.11/16* 37.9/16* 14* 13.2 15.1 <	868980	87"/Clearcoat	0-43419-91472-8	87″	13 3/16″	16 11/16″	37 9/16″	12″	10.1	12.6	77.0
B99982 967/Black 0-43419-91990-7 96" 13.3/16" 16.1/16" 42.1/16" 12" 11.3 14.0 78.0 Aluminum High-Capacity Topsides 543980 477/Glearcoat 0-43419-91799-6 47" 16" 18.11/16" 40.1/16" 14" 7.1 8.1 50.5 543980 477/Glearcoat 0-43419-91930-9 65" 16" 18.11/16" 26.9/16" 14" 9.9 11.2 68.5 544980 657/Glearcoat 0-43419-9193.8 65" 16" 18.11/16" 26.9/16" 14" 9.9 11.2 68.5 545980 87/7/Glearcoat 0-43419-9193.8 65" 16" 18.11/16" 37.9/16" 14" 13.2 15.1 87.5 545982 87/7Black 0-43419-9180-6.4 47" 13.3/16" 16.9/16" 40.3/8" 12.1/4" 5.1 6.1 83.5 550980 477/White 0-43419-9180-6.4 47" 13.3/16" 16.9/16" 20.3/8" 12.1/4" 7.1	868982	87″/Black	0-43419-91989-1	87″	13 3/16″	16 11/16″	37 9/16″	12″	10.1	12.6	77.0
Aluminum High-Capacity Topsides 543980 477/Clearcoat 0-43419-91799-6 47 16' 18 11/16' 40 1/16' 14'' 7.1 8.1 50.5 543982 477/Elarcoat 0-43419-91992-1 47' 16'' 18 11/16'' 40 1/16'' 14'' 7.1 8.1 50.5 544980 657/Clearcoat 0-43419-91983-8 65'' 16'' 18 11/16'' 26 9/16'' 14'' 9.9 11.2 68.5 545980 87/Clearcoat 0-43419-91984-8 65'' 16'' 18 11/16'' 37 9/16'' 14'' 9.9 11.2 68.5 545980 87/Clearcoat 0-43419-91984-5 87'' 16'' 18 11/16'' 37 9/16'' 14'' 13.2 15.1 87.5 Steel Standard-Capacity Topsides 55 55 16'' 18 1/16'' 40 3/8'' 12 1/4'' 5.1 6.1 83.5 50980 47/White 0-43419-91907-8 65'' 13 3/16'' 16 9/16'' 40 3/8'' 12 1/4''' 5.1	869980	96"/Clearcoat	0-43419-91743-5	96″	13 3/16″	16 11/16″	42 1/16″	12″	11.3	14.0	78.0
543980 477/Clearcoat 0-43419-9179-6 477 16' 18 11/16' 40 1/16' 14' 7.1 8.1 50.5 543980 657/Clearcoat 0-43419-91982-1 47' 16' 18 11/16'' 40 1/16'' 14'' 9.9 11.2 68.5 544980 657/Elack 0-43419-91982-8 65'' 16'' 18 11/16'' 26 9/16'' 14'' 9.9 11.2 68.5 544980 657/Elack 0-43419-91982-8 65'' 16'' 18 11/16'' 37 9/16'' 14'' 9.9 11.2 68.5 545982 67/Elack 0-43419-91994-5 87'' 16'' 18 11/16'' 37 9/16'' 14'' 13.2 15.1 87.5 550980 47/White 0-43419-91806-1 47'' 13 3/16'' 16 9/16'' 40 3/8'' 12 1/4'' 5.1 6.1 83.5 550980 47/White 0-43419-91806-8 65'' 13 3/16'' 16 9/16'' 20 3/8'' 12 1/4'' 7.1 8.4 112.0	869982	96″/Black	0-43419-91990-7	96″	13 3/16″	16 11/16″	42 1/16″	12″	11.3	14.0	78.0
543980 477/Clearcoat 0-43419-9179-6 477 16' 18 11/16' 40 1/16' 14' 7.1 8.1 50.5 543980 657/Clearcoat 0-43419-91982-1 47' 16' 18 11/16'' 40 1/16'' 14'' 9.9 11.2 68.5 544980 657/Elack 0-43419-91982-8 65'' 16'' 18 11/16'' 26 9/16'' 14'' 9.9 11.2 68.5 544980 657/Elack 0-43419-91982-8 65'' 16'' 18 11/16'' 37 9/16'' 14'' 9.9 11.2 68.5 545982 67/Elack 0-43419-91994-5 87'' 16'' 18 11/16'' 37 9/16'' 14'' 13.2 15.1 87.5 550980 47/White 0-43419-91806-1 47'' 13 3/16'' 16 9/16'' 40 3/8'' 12 1/4'' 5.1 6.1 83.5 550980 47/White 0-43419-91806-8 65'' 13 3/16'' 16 9/16'' 20 3/8'' 12 1/4'' 7.1 8.4 112.0	Alumi	num High-Cap	acity Topsi	des							
544980 65'/Clearcoat 0-43419-91800-9 65' 16' 18 11/16' 26 9/16' 14'' 9.9 11.2 68.5 544982 65'/Black 0-43419-91993-8 65' 16'' 18 11/16'' 26 9/16'' 14'' 9.9 11.2 68.5 545980 87/Clearcoat 0-43419-91901-6 87'' 16'' 18 11/16'' 37 9/16'' 14'' 13.2 15.1 87.5 545982 87/TBlack 0-43419-91904-5 87'' 16'' 18 11/16'' 37 9/16'' 14'' 13.2 15.1 87.5 550880 477/White 0-43419-91807-8 65'' 13 3/16'' 16 9/16'' 40 3/8'' 12.14''' 5.1 6.1 83.5 551980 65'/White 0-43419-91807-8 65'' 13 3/16'' 16 9/16'' 20 3/8' 12.14''' 7.1 8.4 112.0 551980 65'/White 0-43419-91807-8 65'' 13 3/16'' 16 9/16'' 30 3/8' 12.14''' 7.1 8.4 112.0	543980	47″/Clearcoat	0-43419-91799-6	47″	16″	18 11/16″	40 1/16″	14″	7.1	8.1	50.5
544982 657/Black 0-43419-91993-8 65' 16' 18 11/16' 26 9/16' 14' 9.9 11.2 68.5 545980 87//Clearcoat 0-43419-91994-5 87' 16' 18 11/16'' 37 9/16'' 14'' 13.2 15.1 87.5 545982 87//Black 0-43419-91994-5 87'' 16'' 18 11/16'' 37 9/16'' 14'' 13.2 15.1 87.5 545982 87//White 0-43419-91996-1 47'' 13 3/16'' 16 9/16'' 40 3/8'' 12 1/4'' 5.1 6.1 83.5 550982 47/White 0-43419-91099-0 47'' 13 3/16'' 16 9/16'' 40 3/8'' 12 1/4'' 5.1 6.1 83.5 561980 65/White 0-43419-9000-2 66''' 13 3/16'' 16 9/16'' 30 3/8'' 12 1/4''' 7.1 8.4 112.0 575980 78/White 0-43419-90061-9 72''' 13 3/16''' 16 9/16''' 30 3/8''' 12 1/4'''' 9.2 11.4 131.5	543982	47″/Black	0-43419-91992-1	47″	16″	18 11/16″	40 1/16″	14″	7.1	8.1	50.5
545980 877/Clearcoat 0-43419-91801-6 87 16" 18 11/16" 37 9/16" 14" 13.2 15.1 87.5 545982 877/Elack 0-43419-91894-5 87" 16" 18 11/16" 37 9/16" 14" 13.2 15.1 87.5 Steel Standard-Capacity Topsides 550980 477/White 0-43419-91806-1 47" 13 3/16" 16 9/16" 40 3/8" 12 1/4" 5.1 6.1 83.5 550980 477/White 0-43419-91807-8 66" 13 3/16" 16 9/16" 40 3/8 12 1/4" 5.1 6.1 83.5 551980 657/White 0-43419-91807-8 66" 13 3/16" 16 9/16" 26 3/3/16 12 1/4" 7.1 8.4 112.0 571980 727/White 0-43419-91807-2 72" 13 3/16" 16 9/16" 30 3/8 12 1/4" 8.4 10.6 124.5 8779882 727/Black 0-43419-91896-9 72" 13 3/16" 16 9/16" 33 3/8 12 1/4" 9.2	544980	65″/Clearcoat	0-43419-91800-9	65″	16″	18 11/16″	26 9/16″	14″	9.9	11.2	68.5
545982 87/Black 0-43419-91994-5 87 16" 18 11/16" 37 9/16" 14" 13.2 15.1 87.5 Steel Standard-Capacity Topsides 550980 47/White 0-43419-91806-1 47 13.3/16" 16 9/16" 40.3/8" 12.1/4" 5.1 6.1 83.5 550982 47/White 0-43419-91800-4 47" 13.3/16" 16 9/16" 40.3/8" 12.1/4" 5.1 6.1 83.5 550982 47/White 0-43419-91807-8 65" 13.3/16" 16 9/16" 26.13/16 12.1/4" 7.1 8.4 112.0 551982 65'/Black 0-43419-90618-1 72" 13.3/16" 16 9/16" 30.3/8 12.1/4" 8.4 10.6 1245 877980 72/White 0-43419-91995-2 72" 13.3/16" 16 9/16" 33.3/8 12.1/4" 9.2 11.4 131.5 877980 76/White 0-43419-91996-9 78" 13.3/16" 16 9/16" 33.3/8 12.1/4" 9.2 <	544982	65"/Black	0-43419-91993-8	65″	16″	18 11/16″	26 9/16″	14″	9.9	11.2	68.5
Steel Standard-Capacity Topsides 550980 47/White 0-43419-91806-1 47 13 3/16" 16 9/16" 40 3/8" 12 1/4" 5.1 6.1 83.5 550980 47/Black 0-43419-91990-0 47 13 3/16" 16 9/16" 40 3/8" 12 1/4" 5.1 6.1 83.5 551980 65/White 0-43419-91907-8 65" 13 3/16" 16 9/16" 26 13/16 12 1/4" 7.1 8.4 112.0 551980 65/Black 0-43419-9000-2 65" 13 3/16" 16 9/16" 20 13/16 12 1/4" 7.1 8.4 112.0 570982 72/White 0-43419-9000-2 65" 13 3/16" 16 9/16" 30 3/8 12 1/4" 8.4 10.6 1245 870982 72/White 0-43419-90061-9 78' 13 3/16" 16 9/16" 33 3/8 12 1/4" 8.4 10.6 124.5 877988 77/White 0-43419-91996-9 78' 13 3/16" 16 9/16" 33 3/8 12 1/4" 10	545980	87″/Clearcoat	0-43419-91801-6	87″	16″	18 11/16″	37 9/16″	14″	13.2	15.1	87.5
550980 477/White 0-43419-91806-1 47" 13 3/16" 16 9/16" 40 3/8" 12 1/4" 5.1 6.1 83.5 550982 477/Black 0-43419-91990 47" 13 3/16" 16 9/16" 40 3/8 12 1/4" 5.1 6.1 83.5 551980 657/White 0-43419-91807-8 65" 13 3/16" 16 9/16" 26 13/16 12 1/4" 7.1 8.4 112.0 551982 657/Black 0-43419-9000-2 65" 13 3/16" 16 9/16" 20 3/8 12 1/4" 7.1 8.4 112.0 876980 72/White 0-43419-90618-1 72" 13 3/16" 16 9/16" 30 3/8 12 1/4" 8.4 10.6 124.5 876982 72/White 0-43419-91995-2 72" 13 3/16" 16 9/16" 30 3/8 12 1/4" 8.4 10.6 124.5 877980 787/White 0-43419-91995-2 72" 13 3/16" 16 9/16" 33 3/8 12 1/4" 9.2 11.4 131.5 877980 787/White 0-43419-91996-9 78" 13 3/16" 16 9/16"	545982	87″/Black	0-43419-91994-5	87″	16″	18 11/16″	37 9/16″	14″	13.2	15.1	87.5
550980 477/White 0-43419-91806-1 47" 13 3/16" 16 9/16" 40 3/8" 12 1/4" 5.1 6.1 83.5 550982 477/Black 0-43419-91990 47" 13 3/16" 16 9/16" 40 3/8 12 1/4" 5.1 6.1 83.5 551980 657/White 0-43419-91807-8 65" 13 3/16" 16 9/16" 26 13/16 12 1/4" 7.1 8.4 112.0 551982 657/Black 0-43419-9000-2 65" 13 3/16" 16 9/16" 20 3/8 12 1/4" 7.1 8.4 112.0 876980 72/White 0-43419-90618-1 72" 13 3/16" 16 9/16" 30 3/8 12 1/4" 8.4 10.6 124.5 876982 72/White 0-43419-91995-2 72" 13 3/16" 16 9/16" 30 3/8 12 1/4" 8.4 10.6 124.5 877980 787/White 0-43419-91995-2 72" 13 3/16" 16 9/16" 33 3/8 12 1/4" 9.2 11.4 131.5 877980 787/White 0-43419-91996-9 78" 13 3/16" 16 9/16"	Steel S	Standard-Capa	city Topsid	es							
551980 657/White 0-43419-91807-8 65" 13 3/16" 16 9/16" 26 13/16 12 1/4" 7.1 8.4 112.0 551982 657/Black 0-43419-9200-2 65" 13 3/16" 16 9/16" 26 13/16 12 1/4" 7.1 8.4 112.0 876980 72'/White 0-43419-90018-1 72" 13 3/16" 16 9/16" 30 3/8 12 1/4" 8.4 10.6 1245 876982 72'/Black 0-43419-9095-2 72" 13 3/16" 16 9/16" 30 3/8 12 1/4" 8.4 10.6 1245 877980 78'/White 0-43419-90961-9 78" 13 3/16" 16 9/16" 33 3/8 12 1/4" 9.2 11.4 131.5 877982 78'/Black 0-43419-9096-9 78" 13 3/16" 16 9/16" 37 9/16 12 1/4" 10.1 12.6 145.5 878980 87'/Black 0-43419-90961-4 87" 13 3/16" 16 9/16" 37 9/16 12 1/4" 10.1 12.6 145.5 <t< td=""><td></td><td>-</td><td>· -</td><td></td><td>13 3/16″</td><td>16 9/16″</td><td>40 3/8″</td><td>12 1/4″</td><td>5.1</td><td>6.1</td><td>83.5</td></t<>		-	· -		13 3/16″	16 9/16″	40 3/8″	12 1/4″	5.1	6.1	83.5
551982 65'/Black 0-43419-92000-2 65" 13 3/16" 16 9/16" 26 13/16 12 1/4" 7.1 8.4 112.0 876980 72'/White 0-43419-90618-1 72" 13 3/16" 16 9/16" 30 3/8 12 1/4" 8.4 10.6 124.5 876982 72'/Black 0-43419-91995-2 72" 13 3/16" 16 9/16" 30 3/8 12 1/4" 8.4 10.6 124.5 877980 78'/White 0-43419-91995-2 72" 13 3/16" 16 9/16" 30 3/8 12 1/4" 8.4 10.6 124.5 877980 78'/White 0-43419-91995-2 72" 13 3/16" 16 9/16" 33 3/8 12 1/4" 9.2 11.4 131.5 877980 78'/Black 0-43419-91996-9 78" 13 3/16" 16 9/16" 37 3/16 12 1/4" 9.2 11.4 131.5 87888 87'/Black 0-43419-91997-6 87" 13 3/16" 16 9/16" 37 9/16 12 1/4" 10.1 12.6 145.5 879882 96'/White 0-43419-91998-3 96" 13 3/16" 16 9/16"	550982	47"/Black	0-43419-91999-0	47″	13 3/16″	16 9/16″	40 3/8	12 1/4″	5.1	6.1	83.5
876980 72″/White 0-43419-90618-1 72″ 13 3/16″ 16 9/16″ 30 3/8 12 1/4″ 8.4 10.6 124.5 876982 72″/Black 0-43419-91995-2 72″ 13 3/16″ 16 9/16″ 30 3/8 12 1/4″ 8.4 10.6 124.5 877980 78″/White 0-43419-91996-2 72″ 13 3/16″ 16 9/16″ 33 3/8 12 1/4″ 8.4 10.6 124.5 877980 78″/White 0-43419-91996-9 78″ 13 3/16″ 16 9/16″ 33 3/8 12 1/4″ 9.2 11.4 131.5 877982 78″/Black 0-43419-91996-9 78″ 13 3/16″ 16 9/16″ 33 3/8 12 1/4″ 9.2 11.4 131.5 878980 87″/White 0-43419-91997-6 87″ 13 3/16″ 16 9/16″ 37 9/16 12 1/4″ 10.1 12.6 145.5 879882 87″/Black 0-43419-91997-6 87″ 13 3/16″ 16 9/16″ 37 9/16 12 1/4″ 10.1 12.6 145.5 879882 96″/White 0-43419-91998-3 96″ 13 3/16″ 16 9/16	551980	65″/White	0-43419-91807-8	65″	13 3/16″	16 9/16″	26 13/16	12 1/4″	7.1	8.4	112.0
876982 72"/Black 0-43419-91995-2 72" 13 3/16" 16 9/16" 30 3/8 12 1/4" 8.4 10.6 124.5 877980 78"/White 0-43419-91996-9 78" 13 3/16" 16 9/16" 33 3/8 12 1/4" 9.2 11.4 131.5 877982 78"/Black 0-43419-91996-9 78" 13 3/16" 16 9/16" 33 3/8 12 1/4" 9.2 11.4 131.5 878980 87"/White 0-43419-91996-9 78" 13 3/16" 16 9/16" 37 9/16 12 1/4" 9.2 11.4 131.5 878980 87"/White 0-43419-91996-9 78" 13 3/16" 16 9/16" 37 9/16 12 1/4" 10.1 12.6 145.5 878982 87"/Black 0-43419-91997-6 87" 13 3/16" 16 9/16" 37 9/16 12 1/4" 10.1 12.6 145.5 879980 96"/White 0-43419-91997-3 96" 13 3/16" 16 9/16" 42 3/8 12 1/4" 11.3 14.0 158.0 879982 96"/Black 0-43419-91808-5 47" 15 11/16" 18 9	551982	65″/Black	0-43419-92000-2	65″	13 3/16″	16 9/16″	26 13/16	12 1/4″	7.1	8.4	112.0
877980 78''White 0-43419-99061-9 78'' 13 3/16'' 16 9/16'' 33 3/8 12 1/4'' 9.2 11.4 131.5 877982 78''Black 0-43419-91996-9 78'' 13 3/16'' 16 9/16'' 33 3/8 12 1/4'' 9.2 11.4 131.5 878980 87''White 0-43419-90620-4 87'' 13 3/16'' 16 9/16'' 37 9/16 12 1/4'' 9.2 11.4 131.5 878980 87''White 0-43419-90620-4 87'' 13 3/16'' 16 9/16'' 37 9/16 12 1/4'' 9.2 11.4 131.5 878982 87''Black 0-43419-91997-6 87'' 13 3/16'' 16 9/16'' 37 9/16 12 1/4'' 10.1 12.6 145.5 879980 96''White 0-43419-91997-6 87'' 13 3/16'' 16 9/16'' 42 3/8 12 1/4'' 11.3 14.0 158.0 879982 96''Black 0-43419-91998-3 96'' 13 3/16'' 16 9/16'' 42 3/8 12 1/4'' 11.3 14.0 158.0 552980 47''White 0-43419-91808-5 47''	876980	72"/White	0-43419-90618-1	72″	13 3/16″	16 9/16″	30 3/8	12 1/4″	8.4	10.6	124.5
877982 78″/Black 0-43419-91996-9 78″ 13 3/16″ 16 9/16″ 33 3/8 12 1/4″ 9.2 11.4 131.5 878980 87″/White 0-43419-90620-4 87″ 13 3/16″ 16 9/16″ 37 9/16 12 1/4″ 10.1 12.6 145.5 878982 87″/Black 0-43419-91997-6 87″ 13 3/16″ 16 9/16″ 37 9/16 12 1/4″ 10.1 12.6 145.5 879980 96″/White 0-43419-90621-1 96″ 13 3/16″ 16 9/16″ 37 9/16 12 1/4″ 11.3 14.0 158.0 879980 96″/Black 0-43419-91998-3 96″ 13 3/16″ 16 9/16″ 42 3/8 12 1/4″ 11.3 14.0 158.0 879980 96″/Black 0-43419-91998-3 96″ 13 3/16″ 16 9/16″ 42 3/8 12 1/4″ 11.3 14.0 158.0 Steel High-Capacity Topsides 552980 47″/White 0-43419-91808-5 47″ 15 11/16″ 18 9/16″ 40 3/8″ 14 1/4″ 6.8 8.1 92.5 552980 65″/White 0-	876982	72″/Black	0-43419-91995-2	72″	13 3/16″	16 9/16″	30 3/8	12 1/4″	8.4	10.6	124.5
878980 87"/White 0-43419-90620-4 87" 13 3/16" 16 9/16" 37 9/16 12 1/4" 10.1 12.6 145.5 878982 87"/Black 0-43419-91997-6 87" 13 3/16" 16 9/16" 37 9/16 12 1/4" 10.1 12.6 145.5 878982 87"/Black 0-43419-91997-6 87" 13 3/16" 16 9/16" 37 9/16 12 1/4" 10.1 12.6 145.5 879980 96"/White 0-43419-90621-1 96" 13 3/16" 16 9/16" 42 3/8 12 1/4" 11.3 14.0 158.0 879982 96"/Black 0-43419-91998-3 96" 13 3/16" 16 9/16" 42 3/8 12 1/4" 11.3 14.0 158.0 Steel High-Capacity Topsides 552980 47"/White 0-43419-91808-5 47" 15 11/16" 18 9/16" 40 3/8" 14 1/4" 6.8 8.1 92.5 552980 47"/Black 0-43419-91808-5 47" 15 11/16" 18 9/16" 40 3/8" 14 1/4" 6.8 8.1 92.5 552982 47"/Black 0-43419-91809-2 65	877980	78″/White	0-43419-99061-9	78″	13 3/16″	16 9/16″	33 3/8	12 1/4″	9.2	11.4	131.5
878982 87"/Black 0-43419-91997-6 87" 13 3/16" 16 9/16" 37 9/16 12 1/4" 10.1 12.6 145.5 879980 96"/White 0-43419-90621-1 96" 13 3/16" 16 9/16" 42 3/8 12 1/4" 11.3 14.0 158.0 879980 96"/Black 0-43419-91998-3 96" 13 3/16" 16 9/16" 42 3/8 12 1/4" 11.3 14.0 158.0 879982 96"/Black 0-43419-91998-3 96" 13 3/16" 16 9/16" 42 3/8 12 1/4" 11.3 14.0 158.0 Steel High-Capacity Topsides 552980 47"/White 0-43419-91808-5 47" 15 11/16" 18 9/16" 40 3/8" 14 1/4" 6.8 8.1 92.5 552982 47"/Black 0-43419-91808-5 47" 15 11/16" 18 9/16" 40 3/8" 14 1/4" 6.8 8.1 92.5 552982 47"/Black 0-43419-91809-2 65" 15 11/16" 18 9/16" 26 13/16" 14 1/4" 9.5 11.2 127.5 553980 65"/Black 0-43419-92002-6 6	877982	78″/Black	0-43419-91996-9	78″	13 3/16″	16 9/16″	33 3/8	12 1/4″	9.2	11.4	131.5
879980 96"/White 0-43419-90621-1 96" 13 3/16" 16 9/16" 42 3/8 12 1/4" 11.3 14.0 158.0 879982 96"/Black 0-43419-91998-3 96" 13 3/16" 16 9/16" 42 3/8 12 1/4" 11.3 14.0 158.0 Steel High-Capacity Topsides 552980 47"/White 0-43419-91808-5 47" 15 11/16" 18 9/16" 40 3/8" 14 1/4" 6.8 8.1 92.5 552982 47"/Black 0-43419-92001-9 47" 15 11/16" 18 9/16" 40 3/8" 14 1/4" 6.8 8.1 92.5 553980 65"/White 0-43419-91809-2 65" 15 11/16" 18 9/16" 26 13/16" 14 1/4" 9.5 11.2 127.5 553980 65"/Black 0-43419-91809-2 65" 15 11/16" 18 9/16" 26 13/16" 14 1/4" 9.5 11.2 127.5 553982 65"/Black 0-43419-9180-8 87" 15 11/16" 18 9/16" 37 13/16" 14 1/4" 9.5 11.2 127.5 554980 87"/White 0-43419-91810-8 <	878980	87″/White	0-43419-90620-4	87″	13 3/16″	16 9/16″	37 9/16	12 1/4″	10.1	12.6	145.5
879982 96"/Black 0-43419-91998-3 96" 13 3/16" 16 9/16" 42 3/8 12 1/4" 11.3 14.0 158.0 Steel High-Capacity Topsides 552980 47"/White 0-43419-91808-5 47" 15 11/16" 18 9/16" 40 3/8" 14 1/4" 6.8 8.1 92.5 552982 47"/Black 0-43419-92001-9 47" 15 11/16" 18 9/16" 40 3/8" 14 1/4" 6.8 8.1 92.5 553980 65"/White 0-43419-91809-2 65" 15 11/16" 18 9/16" 26 13/16" 14 1/4" 9.5 11.2 127.5 553982 65"/Black 0-43419-92002-6 65" 15 11/16" 18 9/16" 26 13/16" 14 1/4" 9.5 11.2 127.5 553982 65"/Black 0-43419-92002-6 65" 15 11/16" 18 9/16" 26 13/16" 14 1/4" 9.5 11.2 127.5 554980 87"/White 0-43419-91810-8 87" 15 11/16" 18 9/16" 37 13/16" 14 1/4" 12.6 15.1 165.0	878982	87″/Black	0-43419-91997-6	87″	13 3/16″	16 9/16″	37 9/16	12 1/4″	10.1	12.6	145.5
Steel High-Capacity Topsides 552980 47"/White 0-43419-91808-5 47" 15 11/16" 18 9/16" 40 3/8" 14 1/4" 6.8 8.1 92.5 552982 47"/Black 0-43419-92001-9 47" 15 11/16" 18 9/16" 40 3/8" 14 1/4" 6.8 8.1 92.5 553980 65"/White 0-43419-91809-2 65" 15 11/16" 18 9/16" 26 13/16" 14 1/4" 9.5 11.2 127.5 553982 65"/Black 0-43419-92002-6 65" 15 11/16" 18 9/16" 26 13/16" 14 1/4" 9.5 11.2 127.5 554980 87"/White 0-43419-91810-8 87" 15 11/16" 18 9/16" 26 13/16" 14 1/4" 9.5 11.2 127.5 554980 87"/White 0-43419-91810-8 87" 15 11/16" 18 9/16" 37 13/16" 14 1/4" 12.6 15.1 165.0	879980	96″/White	0-43419-90621-1	96″	13 3/16″	16 9/16″	42 3/8	12 1/4″	11.3	14.0	158.0
552980 47"/White 0-43419-91808-5 47" 15 11/16" 18 9/16" 40 3/8" 14 1/4" 6.8 8.1 92.5 552982 47"/Black 0-43419-92001-9 47" 15 11/16" 18 9/16" 40 3/8" 14 1/4" 6.8 8.1 92.5 553980 65"/White 0-43419-91809-2 65" 15 11/16" 18 9/16" 26 13/16" 14 1/4" 9.5 11.2 127.5 553982 65"/Black 0-43419-92002-6 65" 15 11/16" 18 9/16" 26 13/16" 14 1/4" 9.5 11.2 127.5 553982 65"/Black 0-43419-92002-6 65" 15 11/16" 18 9/16" 26 13/16" 14 1/4" 9.5 11.2 127.5 554980 87"/White 0-43419-91810-8 87" 15 11/16" 18 9/16" 37 13/16" 14 1/4" 9.5 11.2 127.5 554980 87"/White 0-43419-91810-8 87" 15 11/16" 18 9/16" 37 13/16" 14 1/4" 12.6 15.1 165.0	879982	96″/Black	0-43419-91998-3	96″	13 3/16″	16 9/16″	42 3/8	12 1/4″	11.3	14.0	158.0
552982 47"/Black 0-43419-92001-9 47" 15 11/16" 18 9/16" 40 3/8" 14 1/4" 6.8 8.1 92.5 553980 65"/White 0-43419-91809-2 65" 15 11/16" 18 9/16" 26 13/16" 14 1/4" 9.5 11.2 127.5 553982 65"/Black 0-43419-92002-6 65" 15 11/16" 18 9/16" 26 13/16" 14 1/4" 9.5 11.2 127.5 554980 87"/White 0-43419-91810-8 87" 15 11/16" 18 9/16" 37 13/16" 14 1/4" 9.5 11.2 127.5	Steel I	High-Capacity '	Topsides								
553980 65"/White 0-43419-91809-2 65" 15 11/16" 18 9/16" 26 13/16" 14 1/4" 9.5 11.2 127.5 553982 65"/Black 0-43419-92002-6 65" 15 11/16" 18 9/16" 26 13/16" 14 1/4" 9.5 11.2 127.5 554980 87"/White 0-43419-91810-8 87" 15 11/16" 18 9/16" 37 13/16" 14 1/4" 9.5 11.2 127.5	552980	47″/White		47″	15 11/16″	18 9/16″	40 3/8″	14 1/4″	6.8	8.1	92.5
553982 65"/Black 0-43419-92002-6 65" 15 11/16" 18 9/16" 26 13/16" 14 1/4" 9.5 11.2 127.5 554980 87"/White 0-43419-91810-8 87" 15 11/16" 18 9/16" 37 13/16" 14 1/4" 12.6 15.1 165.0	552982	47"/Black	0-43419-92001-9	47″	15 11/16″	18 9/16″	40 3/8″	14 1/4″	6.8	8.1	92.5
554980 87"/White 0-43419-91810-8 87" 15 11/16" 18 9/16" 37 13/16" 14 1/4" 12.6 15.1 165.0	553980	65"/White	0-43419-91809-2	65″	15 11/16″	18 9/16″	26 13/16″	14 1/4″	9.5	11.2	127.5
	553982	65"/Black	0-43419-92002-6	65″	15 11/16″	18 9/16″	26 13/16″	14 1/4″	9.5	11.2	127.5
554982 87"/Black 0-43419-92003-3 87" 15 11/16" 18 9/16" 37 13/16" 14 1/4" 12.6 15.1 165.0	554980	87"/White	0-43419-91810-8	87″	15 11/16″	18 9/16″	37 13/16″	14 1/4″	12.6	15.1	165.0
	554982	87″/Black	0-43419-92003-3	87″	15 11/16″	18 9/16″	37 13/16″	14 1/4″	12.6	15.1	165.0



1.3

PREMIUM STORAGE SOLUTIONS

-E-+



LIOUID TRANSFER TANKS

ALUMINUM Transfer Tanks are designed for the toughest conditions. Made of heavy-duty .125 gauge treadplate aluminum, the tanks have internal baffles for reinforcement and to control the flow of the contents when moving. 2" NPT Bungs on both ends for easier access. Lockable Filler Cap and Coupler prevent excessive pressure build-up. All tanks have been pressure tested for leaks

The Fuel-N-Tool™ Model 433000 offers the convenience of a 72-gallon capacity L-shaped transfer tank and a removable Chest providing 4.5 cubic feet of secure storage space in one unit.

433000

72-Gallon L-Shaped Tank


- Two Full Center Baffles add extra strength and control the flow of the contents when moving
- 2" NPT Reinforced Bungs allow mounting a pump on either
- side of the tank. Filter system is recommended
- Four High-Strength Brackets for securing the tank to the bed All brackets must be bolted to the truck bed

Removable, Portable Chest

- Chest provides 4.5 cubic feet of high-strength storage
 RSL Rigid Structural Lid, Heavy-Duty Adjustable Lid Strikers and High-Strength Body resist break-ins
- Self-Rising Lid has two heavy-duty gas spring lid lifts
 Leak-Proof Stainless Steel Paddle Handles and Wide Live Cell Weather Stripping resist moisture and dust



Tank not to be used commercially, or for interstate commerce. Tank not to be connected to fuel system as an auxiliary tank. Tank not to be used for flammable fuels, under DOT regulations. Tank does not meet title 49 requirements of the federal register governing transportation. Tank to be used for combustible fuels only. Tank meets the requirements pertaining to CAN/CSA B-621-98 regulations. Tank to be hoisted only when empty. Tank to be securely bolted to truck bed. Do not cut or weld on tank, under any circumstances. Must use an automatic shut off nozzle. Must use a fuel filter in pump system. Tank must be vented at all times. Remove pre-vent cap with caution. Aluminum tanks are not to be pressurized over 6 PSIG. Steel tanks are not to be pressurized over 8 PSIG. Useage of tanks is regulated by State and sometimes local ordinances. Contact your local Fire Department for details. Contact your local Fire Chief or Fire Marshal to determine your local restrictions.





Safety Fill Maximum Fill Model # Description Capacity (Gals)* Capacity (Gals		А	в	С	D	Е	Shipping Cu. Ft.	Shipping Wt. (Lbs.)
---	--	---	---	---	---	---	---------------------	------------------------

439000

Fuel-N-Tool™ COMBO Aluminum Tank with Removable Storage Chest

438000

433000	L-Shaped Tank	72	77	0-43419-91597-8	48 1/4″	19″	31″	9″	10 3/4"	23.0	129.0
	Removable Chest				48 5/8″	20″	10″	_		_	_
Alum	ninum Liqui	d Transfer	Tanks								
437000	L-Shaped	99	104	0-43419-91740-8	57 1/2″	251	31″	91	10"	29.6	112.0
438000	Rectangle	91	102	0-43419-91741-5	45 1/4″	23 1/4″	23 1/4″		—	17.1	94.0
439000	Square	47	52	0-43419-91742-2	23 1/4″	23 1/4″	23 1/4″	_	—	8.9	64.0

The Safety Capacity is the MINIMUM capacity of the tank when filled to the bottom of the Bung Fill tube, not the maximum capacity of the tank.

PREMIUM STORAGE SOLUTIONS

437000




and the second s	EL Tanks feature heav		1 the							- Her	
	4-gauge steel construct	and the second se								1	-
ng-te	erm durability. Internal	baffles							tre	a n	
einfor	ce the high-strength de	esign						-	N.	. A.	and a
	ontrol the flow of the cor		498002						2	Ficht	
- have	moving. 2" NPT Bungs	1	Designed h Short Be	d for d Trucks						-	
	or easier access. All tan	the second s	Available	e with White Finish							
				1	1	3.	the second				
	peen pressure tested for	leaks	- man								
TE	EL TRANSFER		200	A 1500							
'AN	KS FEATURE:	the second				4800	00	etherena)			-
Built-i	in Lifting Rings to assist with	h lifting	and	485000		Avai	lable with	h	-		12/02
movir	ng an EMPTY tank		and the second	in the		Black	k Finish	1	2	1 - 15	
	able Filler Cap and Coupler pr	cevent ex	kcessive	the second	9	14/10	-0			-	
	ure build up	1-1	and the	the state			0		Contra Co		
-	y-Duty Brackets to secure the			S. J. S.	-						
	All brackets must be bolted to		No. of Concession, Name	The set				5	-		
-	y Fill Capacity allows space for			484000				486000	0	Contraction of the second	
	pand in warm weather. Maxin			Available with Black Finish	and and			2			
leaves	s no space for the contents to	expand	-		1			9_			-
	7			1	-		-				
	Tuel-N-Tool™	4		D Fa							- FL
	s feature new	1							D		
Model	s leature new		(mer			-					and the second s
	that join truck			and the second		-	FFED		-	and the second	YN
atches		1 ····································		99000 Chest	+	+	5455) -			30000 C	
atches boxes to	that join truck o fuel tanks for		4	98000 Tank	24 0	tita oll	fullcipo	chort r	48	36000 T	lank
atches oxes to	that join truck		4 Fits	98000 Tank all fullsize shor	t 📕 F				48 wheel	36000 T base truc	'ank cks
itches oxes to	that join truck o fuel tanks for fit and transport.		4 Fits whe	98000 Tank all fullsize shor eelbase trucks	t 📕 F				48 wheel	36000 T base truc s fifth wh	'ank cks leel traile
tches oxes to ecure f	that join truck o fuel tanks for fit and transport.	afety Fill pacity (Gals)	4 Fits whe Maximum F	98000 Tank all fullsize shor eelbase trucks	t 📕 F				48 wheel	36000 T base truc s fifth wh	'ank cks
tches oxes to ecure f	that join truck o fuel tanks for fit and transport.	pacity (Gals)	4 Fits whe Maximum F	98000 Tank all fullsize shor eelbase trucks Fill Is) UPC	t 📕 F	ngled	chest a	accomo	48 wheel odates	36000 T base truc s fifth wh Shipping	'ank cks leel traile g Shippin
tches oxes to ecure f Model : Stee	that join truck o fuel tanks for fit and transport.	acity (Gals)	4 Fits Whe Maximum I Capacity (Gal for 4-Doo	98000 Tank all fullsize shor celbase trucks Fill Is) UPC or Trucks	t F A	angled B	chest a	D	48 wheel odates E	36000 T base truc s fifth wh Shipping Cu. Ft.	Cank Cks Deel traile g Shippin Wt. (Lbs
tches oxes to ecure f Model : Stee	that join truck o fuel tanks for fit and transport.	pacity (Gals)	4 Fits whe Maximum F	98000 Tank all fullsize shor eelbase trucks Fill Is) UPC	t 📕 F	B 25″	chest a	accomo	48 wheel odates	36000 T base truc s fifth wh Shipping	Cank cks leel traile g Shippin
tches oxes to ecure f Model (Stee) 498000	that join truck o fuel tanks for fit and transport.	acity (Gals)	4 Fits Whe Maximum I Capacity (Gal for 4-Doo	98000 Tank all fullsize shor celbase trucks Fill Is) UPC or Trucks	t F A 60 1/4" Top 48 1/4" Bottor 60 1/4" Top	B 25″ 25″	chest a	D	48 wheel odates E	36000 T base truc s fifth wh Shipping Cu. Ft.	Cank cks leel traile g Shippin Wt. (Lbs
tches oxes to ecure f Model Stee 498000	that join truck o fuel tanks for fit and transport.	98 98	4 Fits whe Maximum I Capacity (Gal for 4-Doo 106	98000 Tank all fullsize shor celbase trucks Fill Is) UPC or Trucks 0-43419-91602-9	t F A 60 1/4" Top 48 1/4" Bottor	B 25″ 25″	chest a C 33″	D 7 1/2″	48 wheel odates E 13"	36000 T base truc s fifth wh Shipping Cu. Ft. 17.8	Cank cks leel traile g Shippin Wt. (Lb: 175.0
tches oxes to ecure f Model (Stee) 498002 Stee)	that join truck o fuel tanks for fit and transport. #Description Sa Cap I Liquid Transfer T L-Shaped Black Finish I Liquid Transfer T	yacity (Gals) 'anks 98 98 'anks	4 Fits whe Capacity (Gal for 4-Doc 106 106	98000 Tank all fullsize shor eelbase trucks fill b) UPC or Trucks 0-43419-91602-9 0-43419-91689-9	t F A 60 1/4" Top 48 1/4" Bottor 60 1/4" Top 48 1/4" Bottor	B 25″ n 25″	Chest a 33" 33"	D 7 1/2" 7 1/2"	48 wheel odates E 13" 13"	36000 T base truc s fifth wh Shipping Cu. Ft. 17.8 17.8	Cank Cks Leel traile g Shippin Wt. (Lbs 175.0 175.0
tches oxes to ecure f Model Stee 498000 498002 Stee 480000	that join truck o fuel tanks for fit and transport.	anks 98 98 anks 103	4 Fits Whe Capacity (Gal for 4-Doc 106 106	98000 Tank all fullsize shor eelbase trucks fill uPC or Trucks 0-43419-91602-9 0-43419-91689-9	t F A 60 1/4" Top 48 1/4" Bottor 60 1/4" Top 48 1/4" Bottor 59 5/8"	B 25″ n 25″ 25″	Chest a 33" 33" 33" 31"	accomo D 7 1/2" 7 1/2" 9"	48 wheel odates 13" 13" 11"	36000 T base true s fifth wh Shipping Cu. Ft. 17.8 17.8 31.2	Cank Cks Ceel traile g Shippin Wt. (Lbs 175.0 175.0 200.0
tches oxes to ecure f Stee 498000 498002 Stee 480000 480002	that join truck o fuel tanks for fit and transport. #Description Sa Cap I Liquid Transfer T L-Shaped White Finish (F-N-T Ready) L-Shaped Black Finish I Liquid Transfer T L-Shaped/White Finish L-Shaped/White Finish	anks 98 98 anks 103 103	4 Fits whe Capacity (Ga for 4-Doc 106 106 109 109	98000 Tank all fullsize shor belbase trucks Fill bs) UPC Or Trucks 0-43419-91689-9 0-43419-90204-6 0-43419-93269-2	t F A A 60 1/4" Top 48 1/4" Bottor 60 1/4" Top 48 1/4" Bottor 59 5/8" 59 5/8"	angled B 25" 25" 25" 25" 25" 25"	Chest a C 33" 33" 31" 31"	accomo D 7 1/2" 7 1/2" 9" 9"	48 wheel odates 13" 13" 13" 11"	36000 T base truc s fifth wh Shipping Cu. Ft. 17.8 17.8 17.8 31.2 31.2	Cank cks leel traile g Shippin Wt. (Lbs 175.0 175.0 200.0 200.0
ttches oxes to ecure f Model : Stee 498000 498002 480000 480002 481000	that join truck o fuel tanks for fit and transport. #Description Sa #Description Cap I Liquid Transfer T L-Shaped White Finish I Liquid Transfer T L-Shaped/White Finish L-Shaped/Black Finish L-Shaped/White Finish	98 98 98 98 98 98 98 98 98 98 98 98 98 9	4 Fits whe Capacity (Ga for 4-Doc 106 106 109 109 59	98000 Tank all fullsize shor belbase trucks Fill b) UPC Or Trucks 0-43419-91602-9 0-43419-91689-9 0-43419-90204-6 0-43419-90204-6 0-43419-90208-4	t F A A 60 1/4" Top 48 1/4" Bottor 60 1/4" Top 48 1/4" Bottor 59 5/8" 59 5/8" 59 5/8"	angled B 25" 25" 25" 25" 25" 25" 25" 25" 25"	Chest a C 33" 33" 31" 31"	accomo D 7 1/2" 7 1/2" 9" 9" 9" 9"	48 wheel odates 13" 13" 11" 11" 9"	36000 T base truc s fifth wh Shipping Cu. Ft. 17.8 17.8 17.8 31.2 31.2 31.2 19.2	Cank cks leel traile g Shippin Wt. (Lbs 175.0 175.0 200.0 200.0 124.5
tches oxes to ecure f Model (Stee) 498000 498002 Stee) 480000 481000 481000	that join truck o fuel tanks for fit and transport.	Pacity (Gals) anks 98 98 'anks 103 103 56 51	4 Fits whe Capacity (Gal for 4-Doc 106 106 109 109 59 54	98000 Tank all fullsize shor belbase trucks Fill b) UPC 0r Trucks 0-43419-91602-9 0-43419-91689-9 0-43419-90204-6 0-43419-90208-4 0-43419-90208-4 0-43419-90208-4	t F A A 60 1/4" Top 48 1/4" Bottor 60 1/4" Top 48 1/4" Bottor 59 5/8" 59 5/8" 59 5/8" 29 5/8"	B 25" n 25" 25" 25" 25" 21" 25"	Chest a 33" 33" 31" 31" 31" 31"	accomo D 7 1/2" 7 1/2" 9" 9" 9" 9"	48 wheel odates 13" 13" <u>11"</u> 11" 9" 10"	36000 T base truc s fifth wh Shipping Cu. Ft. 17.8 17.8 17.8 31.2 31.2 19.2 15.6	Cank Cks leeel traile g Shippin Wt. (Lbs 175.0 175.0 200.0 200.0 200.0 124.5 106.0
tches bxes to ecure f Model Stee 498000 498002 480000 480002 481000 482000	that join truck o fuel tanks for fit and transport.	anks 98 98 98 anks 103 103 56 51 96	4 Fits whe Capacity (Gal for 4-Doc 106 106 106 109 109 59 54 107	98000 Tank all fullsize shor belbase trucks Fill UPC 0r Trucks 0-43419-91602-9 0-43419-91689-9 0-43419-90204-6 0-43419-90208-4 0-43419-90208-4 0-43419-90208-4 0-43419-90210-7	t F A 60 1/4" Top 48 1/4" Bottor 60 1/4" Top 48 1/4" Bottor 60 1/4" Top 48 1/4" Bottor 59 5/8" 59 5/8" 37" 29 5/8" 45 5/8"	B 25" 25" 25" 25" 25" 25" 21" 25" 24"	Chest a 33" 33" 31" 31" 31" 31" 31" 31" 31"	accomo D 7 1/2" 7 1/2" 9" 9" 9" 9" 9" 9"	48 wheel odates 13" 13" 13" 11" 11" 9" 10" -	36000 T base true s fifth wh Shipping Cu. Ft. 17.8 17.8 17.8 31.2 31.2 19.2 15.6 17.1	Cank Cks leeel traile g Shippin Wt. (Lbs 175.0 175.0 200.0 200.0 200.0 124.5 106.0 144.5
tches oxes to ecure f Stee 498000 498002 480000 480002 481000 484000 484000	that join truck o fuel tanks for fit and transport. #Description Sa Cap I Liquid Transfer Ta L-Shaped White Finish (F-N-T Ready) L-Shaped Black Finish I Liquid Transfer Ta L-Shaped/White Finish L-Shaped/White Finish L-Shaped/White Finish L-Shaped/White Finish Rectangle/White Finish Rectangle/Black Finish	acity (Gals) anks 98 98 'anks 103 56 51 96 96	4 Fits whe Capacity (Ga for 4-Doc 106 106 109 109 59 54 107 107	98000 Tank all fullsize shor belbase trucks Fill bs UPC OF Trucks 0-43419-91602-9 0-43419-91689-9 0-43419-90204-6 0-43419-90208-4 0-43419-90208-4 0-43419-90208-4 0-43419-90210-7 0-43419-90210-7	t F A A 60 1/4" Top 48 1/4" Bottor 60 1/4" Top 48 1/4" Bottor 60 1/4" Top 48 1/4" Bottor 59 5/8" 59 5/8" 37" 29 5/8" 45 5/8"	angled B 25" 25" 25" 25" 25" 25" 25" 25" 25" 25" 25" 24" 24"	Chest a 33" 33" 31" 31" 31" 31" 23 1/4"	accomo D 7 1/2" 7 1/2" 9" 9" 9" 9" 9" 9" 9" 9" 9"	48 wheel odates 13" 13" 11" 11" 9" 10" — —	36000 T base truc s fifth wh Shipping Cu. Ft. 17.8 17.8 17.8 31.2 31.2 31.2 19.2 15.6 17.1 17.1	Cank cks leeel traile g Shippin Wt. (Lbs 175.0 175.0 200.0 200.0 200.0 200.0 124.5 106.0 144.5
tches to ecure f viodel : Stee 198002 198002 180000 180002 181000 182000 184000 184002	that join truck o fuel tanks for fit and transport. #Description Sa #Description Cap I Liquid Transfer Ta L-Shaped White Finish (F-N-T Ready) L-Shaped Black Finish I Liquid Transfer Ta L-Shaped/White Finish L-Shaped/Black Finish L-Shaped/White Finish Rectangle/White Finish Rectangle/Black Finish Square/White Finish	Pacity (Gals) anks 98 98 98 'anks 103 103 56 51 96 96 50	4 Fits whe Capacity (Ga for 4-Doc 106 106 109 109 59 54 107 107 55	98000 Tank all fullsize shor belbase trucks Fill UPC OF Trucks 0-43419-91602-9 0-43419-91689-9 0-43419-90204-6 0-43419-90208-4 0-43419-90208-4 0-43419-90208-4 0-43419-90210-7 0-43419-90212-1	t F A A 60 1/4" Top 48 1/4" Bottor 60 1/4" Top 48 1/4" Bottor 60 1/4" Top 48 1/4" Bottor 59 5/8" 59 5/8" 29 5/8" 45 5/8" 45 5/8" 23 1/4"	B 25" n 25" 25" 25" 25" 21" 25" 24" 24" 24"	Chest a C 33" 33" 31" 31" 31" 23 1/4" 23 1/4"	accomo D 7 1/2" 7 1/2" 9" 9" 9" 9" 9" 9" 9" 9" 9"	48 wheel odates 13" 13" 11" 9" 10" 	36000 T base true ififth wh Shipping Cu. Ft. 17.8 17.8 17.8 31.2 31.2 19.2 15.6 17.1 17.1 8.9	Cank cks leeel traile g Shippir Wt. (Lbs 175.0 175.0 200.0 200.0 200.0 124.5 106.0 144.5 144.5 85.5
tches bxes to cure f vodel stee stee stee stee stee stee stee st	that join truck o fuel tanks for fit and transport.	anks 98 98 98 'anks 98 'anks 103 103 56 51 96 96 50 50 37	4 Fits whe Capacity (Gal for 4-Doc 106 106 106 109 109 59 54 107 55 42	98000 Tank all fullsize shor belbase trucks Fill UPC 0r Trucks 0-43419-91602-9 0-43419-91689-9 0-43419-90204-6 0-43419-90208-4 0-43419-90208-4 0-43419-90208-4 0-43419-90210-7 0-43419-90210-7 0-43419-90212-1 0-43419-90212-1 0-43419-90249-6	A 60 1/4" Top 48 1/4" Bottor 60 1/4" Top 48 1/4" Bottor 60 1/4" Top 48 1/4" Bottor 59 5/8" 59 5/8" 29 5/8" 45 5/8" 45 5/8" 23 1/4" 59 5/8"	B 25" n 25" 25" 25" 25" 25" 21" 25" 24" 24" 24" 24" 19"	Chest a C 33" 33" 31" 31" 31" 23 1/4" 23 1/4" 9"	accomo D 7 1/2" 7 1/2" 9" 9" 9" 9" 9" 9" 9" 	48 wheel odates 13" 13" 13" 11" 9" 10"	36000 T base true 5 fifth wh Shipping Cu. Ft. 17.8 17.8 17.8 31.2 31.2 19.2 15.6 17.1 15.6 17.1 17.1 8.9 7.0	Cank Cks leeel traile g Shippin Wt. (Lb 175.0 175.0 200.0 200.0 200.0 200.0 124.5 106.0 144.5 85.5 97.0
Ches Constant Constan	that join truck o fuel tanks for fit and transport.	acity (Gals) anks 98 98 98 anks 103 103 56 51 96 96 50 37 86	4 Fits Whe Capacity (Gal for 4-Doc 106 106 106 109 59 54 107 55 54 107 107 55 42 92	98000 Tank all fullsize shor belbase trucks Fill UPC 0r Trucks 0-43419-91602-9 0-43419-91689-9 0-43419-90204-6 0-43419-90208-4 0-43419-90208-4 0-43419-90210-7 0-43419-90210-7 0-43419-90210-7 0-43419-90210-1	t F A 60 1/4" Top 48 1/4" Bottor 60 1/4" Top 48 1/4" Bottor 60 1/4" Top 48 1/4" Bottor 59 5/8" 59 5/8" 59 5/8" 29 5/8" 45 5/8" 45 5/8" 23 1/4" 59 5/8" 23 1/4"	B 25" 25" 25" 25" 25" 24" 24" 24" 24" 24" 24" 24" 25"	Chest a 33" 33" 31" 31" 31" 31" 23 1/4" 23 1/4" 9" 31"	accomo D 7 1/2" 7 1/2" 9" 9" 9" 9" 9" 9" 9" 9" 9" 9" 9" 9" 9"	48 wheel odates 13" 13" 13" 11" 11" 9" 10" 11"	36000 T base true s fifth wh Shipping Cu. Ft. 17.8 17.8 17.8 31.2 31.2 19.2 15.6 17.1 15.6 17.1 17.1 8.9 7.0 30.4	Cank Cks ceel traile g Shippin Wt. (Lb 175.0 175.0 200.0 200.0 200.0 200.0 124.5 106.0 144.5 85.5 97.0 186.0
Ches Constant of C	that join truck o fuel tanks for fit and transport. #Description Cap I Liquid Transfer Ta L-Shaped White Finish (F-N-T Ready) L-Shaped Black Finish I Liquid Transfer Ta L-Shaped/White Finish L-Shaped/White Finish L-Shaped/White Finish L-Shaped/White Finish Rectangle/White Finish Rectangle/Black Finish Square/White Finish Vertical/White Finish (F-N-T Ready) Low-Profile L-Shaped/White Finish Low-Profile L-Shaped/White Finish	acity (Gals) anks 98 98 98 anks 103 103 56 51 96 96 37 86 76	4 Fits whe Capacity (Ga for 4-Doc 106 106 106 109 109 59 54 107 107 55 42 92 82	98000 Tank all fullsize shor belbase trucks Fill UPC 0 Trucks 0-43419-91602-9 0-43419-91689-9 0-43419-90204-6 0-43419-90208-4 0-43419-90208-4 0-43419-90208-4 0-43419-90212-1 0-43419-90212-1 0-43419-90212-1 0-43419-90762-1 0-43419-90762-1 0-43419-90763-8	t F A A 60 1/4" Top 48 1/4" Bottor 60 1/4" Top 48 1/4" Bottor 60 1/4" Top 48 1/4" Bottor 59 5/8" 59 5/8" 29 5/8" 45 5/8" 23 1/4" 59 5/8" 23 1/4" 59 5/8" 23 1/4"	B 25" 25" 25" 25" 25" 25" 25" 25" 24" 24" 19" 25" 25"	chest a 33" 33" 31" 31" 31" 23 1/4" 23 1/4" 23 1/4" 9" 31" 31"	P 7 1/2" 7 1/2" 9" 9" 9" 9" 9" 6 1/2" 6 1/2"	48 wheel odates 13" 13" 13" 11" 11" 9" 10" 11" 11"	36000 T base true ififth wh Shipping Cu. Ft. 17.8 17.8 17.8 31.2 31.2 19.2 15.6 17.1 17.1 8.9 7.0 30.4 27.1	Cank cks deel trail 3 Shippin Wt. (Lb 175.0 175.0 200.0 200.0 200.0 200.0 200.0 124.5 106.0 144.5 144.5 85.5 97.0 186.0 155.0
cches to cure f /odel ; 5tee 98000 98002 5tee 80000 80002 81000 84000 84000 84000 84000 84000 84000 88000 88000 88000	that join truck o fuel tanks for fit and transport. #Description Sa Description Cap I Liquid Transfer Ta L-Shaped White Finish (F-N-T Ready) L-Shaped Black Finish L-Shaped/White Finish L-Shaped/White Finish L-Shaped/White Finish L-Shaped/White Finish Rectangle/Black Finish Rectangle/Black Finish Square/White Finish Vertical/White Finish (F-N-T Ready) Low-Profile L-Shaped/White Finish Low-Profile L-Shaped/White Finish Low-Profile L-Shaped/White Finish	acity (Gals) anks 98 98 98 anks 103 103 56 51 96 96 50 37 86 76 76	4 Fits whe Capacity (Gal for 4-Doo 106 106 106 109 59 54 107 55 54 107 55 42 92 82 82	98000 Tank all fullsize shor belbase trucks Fill UPC OF Trucks 0-43419-91602-9 0-43419-91602-9 0-43419-90204-6 0-43419-90208-4 0-43419-90208-4 0-43419-90208-4 0-43419-90210-7 0-43419-90210-7 0-43419-90212-1 0-43419-90212-1 0-43419-90763-8 0-43419-90763-8 0-43419-90763-8	t F A A 60 1/4" Top 48 1/4" Bottor 60 1/4" Top 48 1/4" Bottor 60 1/4" Top 48 1/4" Bottor 59 5/8" 59 5/8" 29 5/8" 29 5/8" 45 5/8" 45 5/8" 23 1/4" 59 5/8" 23 1/4" 59 5/8" 48"	B 25" n 25" 25" 25" 25" 25" 24" 24" 24" 24" 24" 24" 25" 25" 25"	chest a 33" 33" 33" 31" 31" 31" 23 1/4" 23 1/4" 23 1/4" 9" 31" 31"	accomo D 7 1/2" 7 1/2" 7 1/2" 9" 9" 9" 9" 9" 9" 9" 9" 9" 9" 9" 9" 9"	48 wheel dates 13" 13" 11" 11" 9" 10" 11" 11" 11"	36000 T base true ififth wh Shipping Cu. Ft. 17.8 17.8 17.8 31.2 31.2 19.2 15.6 17.1 17.1 8.9 7.0 30.4 27.1 27.1	Cank Cks leeel trail 9 Shippin Wt. (Lb 175.0 175.0 200.0 200.0 200.0 200.0 124.5 106.0 124.5 106.0 144.5 85.5 97.0 186.0 155.0
Ches Control C	that join truck o fuel tanks for fit and transport. #Description Cap I Liquid Transfer Ta L-Shaped White Finish (F-N-T Ready) L-Shaped Black Finish L-Shaped/White Finish L-Shaped/White Finish L-Shaped/White Finish L-Shaped/White Finish Rectangle/Black Finish Rectangle/Black Finish Rectangle/Black Finish Rectangle/Black Finish Rectangle/Black Finish Low-Profile L-Shaped/White Finish Low-Profile L-Shaped/White Finish Low-Profile L-Shaped/White Finish	anks 98 98 98 98 98 'anks 103 103 56 51 96 96 50 37 86 76 76 76 42	4 Fits whe Capacity (Ga for 4-Doc 106 106 106 109 109 59 54 107 107 55 42 92 82	98000 Tank all fullsize shor belbase trucks Fill UPC 0 Trucks 0-43419-91602-9 0-43419-91689-9 0-43419-90204-6 0-43419-90208-4 0-43419-90208-4 0-43419-90208-4 0-43419-90212-1 0-43419-90212-1 0-43419-90212-1 0-43419-90762-1 0-43419-90762-1 0-43419-90763-8	t F A A 60 1/4" Top 48 1/4" Bottor 60 1/4" Top 48 1/4" Bottor 60 1/4" Top 48 1/4" Bottor 59 5/8" 59 5/8" 29 5/8" 45 5/8" 23 1/4" 59 5/8" 23 1/4" 59 5/8" 23 1/4"	B 25" 25" 25" 25" 25" 25" 25" 25" 24" 24" 19" 25" 25"	chest a 33" 33" 31" 31" 31" 23 1/4" 23 1/4" 23 1/4" 9" 31" 31"	P 7 1/2" 7 1/2" 9" 9" 9" 9" 9" 6 1/2" 6 1/2"	48 wheel odates 13" 13" 13" 11" 11" 9" 10" 11" 11"	36000 T base true ififth wh Shipping Cu. Ft. 17.8 17.8 17.8 31.2 31.2 19.2 15.6 17.1 17.1 8.9 7.0 30.4 27.1	Cank cks leel trail 9 Shippin wt. (Lb 175.0 175.0 200.0 200.0 200.0 200.0 200.0 124.5 106.0 144.5 144.5 85.5 97.0 186.0 155.0
Ches Control C	that join truck o fuel tanks for fit and transport. #Description Sa Description Cap I Liquid Transfer Ta L-Shaped White Finish (F-N-T Ready) L-Shaped Black Finish L-Shaped/White Finish L-Shaped/White Finish L-Shaped/White Finish L-Shaped/White Finish Rectangle/Black Finish Rectangle/Black Finish Square/White Finish Vertical/White Finish (F-N-T Ready) Low-Profile L-Shaped/White Finish Low-Profile L-Shaped/White Finish Low-Profile L-Shaped/White Finish	anks 98 98 98 98 98 'anks 103 103 56 51 96 96 50 37 86 76 76 76 42	4 Fits whe Capacity (Gal for 4-Doo 106 106 106 109 59 54 107 55 54 107 55 42 92 82 82	98000 Tank all fullsize shor belbase trucks Fill UPC OF Trucks 0-43419-91602-9 0-43419-91602-9 0-43419-90204-6 0-43419-90208-4 0-43419-90208-4 0-43419-90208-4 0-43419-90210-7 0-43419-90210-7 0-43419-90212-1 0-43419-90212-1 0-43419-90763-8 0-43419-90763-8 0-43419-90763-8	t F A A 60 1/4" Top 48 1/4" Bottor 60 1/4" Top 48 1/4" Bottor 60 1/4" Top 48 1/4" Bottor 59 5/8" 59 5/8" 29 5/8" 29 5/8" 45 5/8" 45 5/8" 23 1/4" 59 5/8" 23 1/4" 59 5/8" 48"	B 25" n 25" 25" 25" 25" 25" 24" 24" 24" 24" 24" 24" 25" 25" 25"	chest a 33" 33" 33" 31" 31" 31" 23 1/4" 23 1/4" 23 1/4" 9" 31" 31"	accomo D 7 1/2" 7 1/2" 7 1/2" 9" 9" 9" 9" 9" 9" 9" 9" 9" 9" 9" 9" 9"	48 wheel dates 13" 13" 11" 11" 9" 10" 11" 11" 11"	36000 T base true ififth wh Shipping Cu. Ft. 17.8 17.8 17.8 31.2 31.2 19.2 15.6 17.1 17.1 8.9 7.0 30.4 27.1 27.1	Cank Cks leeel trail 9 Shippin Wt. (Lb 175.0 175.0 200.0 200.0 200.0 200.0 124.5 106.0 124.5 106.0 144.5 85.5 97.0 186.0 155.0
ches : xes to cure f 3tee 98000 98002 98002 5tee 80000 82000 8000 82000 800000 800000 8000000	that join truck o fuel tanks for fit and transport. #Description Cap I Liquid Transfer Ta L-Shaped White Finish (F-N-T Ready) L-Shaped Black Finish L-Shaped/White Finish L-Shaped/White Finish L-Shaped/White Finish L-Shaped/White Finish Rectangle/Black Finish Rectangle/Black Finish Rectangle/Black Finish Rectangle/Black Finish Rectangle/Black Finish Low-Profile L-Shaped/White Finish Low-Profile L-Shaped/White Finish Low-Profile L-Shaped/White Finish	anks 98 98 98 98 98 'anks 103 103 56 51 96 96 50 37 86 76 76 76 42	4 Fits whe Capacity (Gal for 4-Doo 106 106 106 109 59 54 107 55 54 107 55 42 92 82 82	98000 Tank all fullsize shor belbase trucks Fill UPC OF Trucks 0-43419-91602-9 0-43419-91602-9 0-43419-90204-6 0-43419-90208-4 0-43419-90208-4 0-43419-90208-4 0-43419-90210-7 0-43419-90210-7 0-43419-90212-1 0-43419-90212-1 0-43419-90763-8 0-43419-90763-8 0-43419-90763-8	t F A A 60 1/4" Top 48 1/4" Bottor 60 1/4" Top 48 1/4" Bottor 60 1/4" Top 48 1/4" Bottor 59 5/8" 59 5/8" 29 5/8" 29 5/8" 45 5/8" 45 5/8" 23 1/4" 59 5/8" 23 1/4" 59 5/8" 48"	B 25" n 25" 25" 25" 25" 25" 24" 24" 24" 24" 24" 24" 25" 25" 25"	chest a 33" 33" 33" 31" 31" 31" 23 1/4" 23 1/4" 23 1/4" 9" 31" 31"	accomo D 7 1/2" 7 1/2" 7 1/2" 9" 9" 9" 9" 9" 9" 9" 9" 9" 9" 9" 9" 9"	48 wheel dates 13" 13" 11" 11" 9" 10" 11" 11" 11"	36000 T base true ififth wh Shipping Cu. Ft. 17.8 17.8 17.8 31.2 31.2 19.2 15.6 17.1 17.1 8.9 7.0 30.4 27.1 27.1	Cank Cks weel trai Shippi Wt. (L) 175.0 175.0 200.0 200.0 200.0 124.5 106.0 144.5 144.5 85.5 97.0 186.0 155.0 155.0

NEW

ARGO ASTER PRO IV M ALUMINUM LADDER RACK

FULLY ADJUSTABLE TO FIT ALL FULLSIZE TRUCKS



- Triple-plated fasteners with chrome plating over double nickel plating
- Heavy-duty PVC covers on all Crossbars

Model #	Description	UPC	Shipping Cu. Ft.	Shipping Wt. (Lbs.)
L90000	PRO IV™ Aluminum Fully Adjustable Ladder Rack	0-43419-94130-4	8.1	95.0
A31690	Optional Bolt-On 4th Crossbar	0-43419-94131-1	0.4	12.0
A31580	"No-Drill" Clamp-On Mounts (Set of 4)	0-43419-92681-3	0.8	3.0

See Rack Accessories on Page 48-49



ARGO ASTER PRO III™ STEEL LADDER RACKS

High-Strength

Side Channel

Reinforcements

TWO MODELS ADJUST TO FIT <u>ALL</u> FULLSIZE, MID-SIZE & COMPACT TRUCKS

Round Tubing Components Reduce Wind Noise

> LIFETIME FRAME WARRANTY

High-Strength Rails Form Safety Grab Handles

or PRIME Dior SUPERIOR CORROSSION PROTECTION! Steel Tube

<u>ALL</u> KargoMaster steel racks are YELLOW ZINC PLATED

High Tensile Strength 1 5/8" Diameter x .083 TK Steel Alloy Tubing

Fully Gusseted Crossbars Removable Rear Crossbar (No Tools Required) Rugged 14" Long Mounting Plates

SUPPORTS UP TO 1,000-LB. LOADS

- Swaged joints and fully gusseted crossbars for superior load capacity
- Yellow zinc dichromate undercoat and marine-grade polyester epoxy power paint finish has superior resistance to corrosion and abrasion. Won't fade or dull

Triple-plated fasteners with chrome plating over double nickel plating

- Optional 4th Crossbar bolts on side channels where needed to support long, heavy loads
- Optional "No Drill" Clamp-On Mounts eliminate drilling holes to mount the rack.

Model #	Description	UPC	Shipping Cu. Ft.	Shipping Wt. (Lbs.)	
Fullsize Tr	ucks				
L80000	PRO III™ Fullsize Fully Adjustable Ladder Rack	0-43419-93162-6	6.9	150.0	
A31600	Optional Bolt-On 4th Crossbar for PRO III Model L80000	0-43419-93168-8	0.5	12.0	
Mid-Size &	Compact Trucks				
L80020	PRO III™ Mid-Size & Compact Fully Adjustable Ladder Rack	0-43419-93162-6	6.9	140.0	
A31580	"No-Drill" Clamp-On Mounts (Set of 4)	0-43419-93169-5	0.8	4.0	

See Rack Accessories on Page 48-49

ARGO ASTER. PRO III STIFFI LADDER RACKS

INDUSTRIAL-GRADE RACKS FOR EVERY FULLSIZE PICKUP



Standard & Extended Cab Trucks

Sturdy Upper Rails Form Handy Grab Loops



Channel Reinforcements

Removable Fourth Crossbar Included



Trucks With Camper or Utility Shell Our exclusive front mount assembly reinforces the top of the bed front wall to reduce stress

승규는 가슴 감 나 나는 다 FRAME WARRANTY

Optional "No-Drill" Clamp-On Mount Kit available.

17" Long Pre-Drilled Foot Plates

"Ouick-Release" Welded Rope Rear Crossbar (No Tools Required)

Cleat on All Four Legs

Fully Gusseted Crossbars

High Tensile Strength 2" Diameter x .083" TK. Round Steel Tubing Rack & Legs

Round Tubing Components **Reduce Wind** Noise

SUPPORTS UP TO 1,700-LB. LOADS

- High tensile strength 2" dia. steel tubing with 5" swaged joints for super strength and load-carrying capacity
- Superior corrosion resistant finish with yellow zinc dichromate undercoat with marine-grade polyester epoxy powder coat finish

Complete Line of Rack Accessories on Page 48-49

- Corrosion-resistant self-locking hardware with yellow zinc dichromate finish
- Full-length bed rail support mounts available to distribute the load over the length of the bed walls
- Optional "No-Drill" clamp-on mount kit available
- Fourth crossbar for extra strength to support and prevent long and heavy loads from sagging



APPLICATION GUIDE

A Complete PRO II Ladder Rack Requires Ordering A Side Channel Kit AND A Leg & Crossbar Kit.

Mounting Options:

- All pickup truck racks include four standard mounting plates
- To spread the load of heavy cargo on the rack over a larger area, see the Optional Full-Length Bed Rail Support Mounts on Page 49
- To eliminate drilling holes in the top of the bed rail, use the Optional "No Drill" Clamp-On Mounting Kit on Page 49 to secure the rack to the truck

FULLSIZE PICKUPS WITHOUT CAMPER OR UTILITY SHELL

Description	Side Channel Kit Model # (UPC)	Shipping Cu. Ft.	Shipping Wt. (Lbs.)	Leg & Crossbar Kit Model # (UPC)	Shipping Cu. Ft.	y Shipping Wt. (Lbs.)
STANDARD CAB TRUCKS						
Fullsize–Long or Short Bed Racks (all year models) FITS: All Ford F-Series, Silverado, Ram, Sierra & Tu	S04000 0-43419-92157-3 ndra	6.6	75.0	L01000 0-43419-92152-8	3.8	110.0
EXTENDED CAB & CREW CAB, LONG B	ED TRUCKS					
Extended Cab (all year models) FITS: Silverado, Ram, Sierra, Tundra, F250 & F350	S06000 0-43419-92159-7	7.6	100.0	L01000 0-43419-92152-8	3.8	110.0
Crew Cab (1999 & Up) FITS: F250 & F350	S06000 0-43419-92159-7	7.6	100.0	L01040 0-43419-92153-5	3.8	120.0
Crew Cab (all year models) FITS: Silverado, Ram, Sierra	S06000 0-43419-92159-7	7.6	100.0	L01000 0-43419-92152-8	3.8	110.0
EXTENDED CAB & CREW CAB, SHORT	BED TRUCKS					
Extended Cab (all year models) FITS: Silverado, Ram, Sierra, Tundra, F150, F250 &	S06010 0-43419-92158-0 F350	7.6	85.0	L01000 0-43419-92152-8	3.8	110.0
Crew Cab (1999 & Up) FITS: F250 & F350	S06010 0-43419-92158-0	7.6	85.0	L01040 0-43419-92153-5	3.8	120.0
Crew Cab (all year models) FITS: Silverado, Ram, Sierra	S06010 0-43419-92158-0	7.6	85.0	L01000 0-43419-92152-8	3.8	110.0

FULLSIZE PICKUPS WITH CAMPER OR UTILITY SHELLS

Description	Side Channel Kit Model # (UPC)	Shipping Cu. Ft.	Shipping Wt. (Lbs.)	Leg & Crossbar Kit Model # (UPC)	Shipping Cu. Ft.	Shipping Wt. (Lbs.)
STANDARD CAB TRUCKS						
Fullsize–Long Bed Racks (all year models) FTTS: Silverado, Ram, Sierra, Tundra, F150	S04000 0-43419-92157-3	6.6	75.0	L01110 0-43419-92400-0	4.3	120.0
Fullsize–Long Bed Racks (1999 & Up) FITS: F250, F350	S04000 0-43419-92157-3	6.6	75.0	L01130 0-43419-92402-4	4.3	120.0
EXTENDED CAB & CREW CAB, LONG I	BED TRUCKS					
Extended & Crew Cab (all year models) FTTS: Silverado, Ram, Sierra	S06000 0-43419-92159-7	7.6	100.0	L01110 0-43419-92400-0	4.3	120.0
Extended & Crew Cab (1999 & Up) FITS: F250 & F350	S06000 0-43419-92159-7	7.6	100.0	L01130 0-43419-92402-4	4.3	120.0
EXTENDED CAB & CREW CAB, SHORT	BED TRUCKS					
Extended & Crew Cab (all year models) FTTS: Silverado, Ram, Sierra	S06010 0-43419-92158-0	7.6	85.0	L01110 0-43419-92400-0	4.3	120.0
Extended & Crew Crew Cab (1997 & Up) FITS: F150	S06010 0-43419-92158-0	7.6	85.0	L01110 0-43419-92400-0	4.3	120.0
Extended & Crew Crew Cab (1999 & Up) FITS: F250 & F350	S06010 0-43419-92158-0	7.6	85.0	L01130 0-43419-92402-4	4.3	120.0

Note: Due to the thin bed sheet metal in 1999 and up Silverado, Sierra and all Tundra models, we urge you to order the optional Full-Length Bed Rail Support Mounts to prevent damage to the truck.



ARGO ASTER SERVICE BODY RACKS

SUPPORTS UP TO 1,700-LB. LOADS

I

High tensile strength 2" dia. steel tubing with 5" swaged joints for super strength and loadcarrying capacity

1

0

- Superior corrosion resistant finish with yellow zinc dichromate undercoat with marine-grade polyester epoxy powder coat finish
- Corrosion-resistant self-locking hardware with yellow zinc dichromate finish
- Quick release rear crossbar provides easier access to load or unload large, bulky cargo
- Fourth crossbar for extra strength to support and prevent long and heavy loads from sagging
- Smooth round components reduce wind noise and resistance

LIFETIME FRAME WARRANTY

Complete Line of Rack Accessories on Page 48-49



- Models available for all makes and models of 8, 9, 11, or 12 ft. long platform bodies.
- Available in standard and extended length
- Extended length racks position front crossbar beyond windshield on extended cab trucks. This reduces wind noise, looks better, and provides more support for long cargo.
- Offset mount tabs provide 2" length adjustment. Rear mounting brackets bolt or weld to body frame.
- Offset leg cups provide 2" length adjustment. Match height of cab guard by cutting rear legs.

Description	Side Channel Kit Model # (UPC)	Shipping Cu. Ft.	Shipping Wt. (Lbs.)	Leg & Crossbar Kit Model # (UPC)	Shipping Cu. Ft.	Shipping Wt. (Lbs.)
STANDARD CAB TRUCKS						
8' or 9' Side or top opening box, single or dual wheel WHITE FINISH (See Note #1 below for 8' Bodies)	\$79003 0-43419-92206-8	6.6	75.0	L70023 0-43419-92202-0	4.3	75.0
8' or 9' Side or top opening box, single or dual wheel BLACK FINISH (See Note #1 below for 8' Bodies)	\$79010 0-43419-92175-7	6.6	75.0	L70020 0-43419-92169-6	4.3	75.0
11´ Side or top opening box, single or dual wheel WHITE FINISH	\$79013 0-43419-92207-5	6.6	75.0	L70023 0-43419-92202-0	4.3	75.0
11' Side or top opening box, single or dual wheel BLACK FINISH	\$79010 0-43419-92175-7	6.6	75.0	L70020 0-43419-92169-6	4.3	75.0
EXTENDED CAB & CREW CAB						
8' or 9' Side or top opening box, single or dual wheel WHITE FINISH (See Note #1 below for 8' Bodies)	\$79013 0-43419-92207-5	6.6	75.0	L70023 0-43419-92202-0	4.3	75.0
8' or 9' Side or top opening box, single or dual wheel BLACK FINISH (See Note #1 below for 8' Bodies)	\$79010 0-43419-92175-7	6.6	75.0	L70020 0-43419-92169-6	4.3	75.0
PLATFORM BODY TRUCKS						
8' or 9' Side or top opening box, single or dual wheel BLACK FINISH (See Note #1 below for 8' Bodies)	\$79010 0-43419-92175-7	6.6	75.0	L70030 0-43419-92171-9	4.3	90.0

Notes: 1. For 8' Service Bodies, cutting is required to shorten the length of the rack. Cutting does not affect the rack's strength.

2. To fit Stahl Grand Challenger Utility Body, you must purchase Accessory Mount Kit A70063.



PRO II[™] INDUSTRIAL-GRADE RACK FOR FULLSIZE VANS WITH RAIN GUTTERS



SUPPORTS UP TO 1,700-LB. LOADS

- Full Length of Van (165" L x 55" W)
- 4 Heavy-Duty 2" Diameter Crossbars to fully support long and short loads
- Rear roller bar makes it easier to load heavy, bulky items (e.g. carpet) and protects the top of the van
- Level cross bars support sheet goods, elevated standing platform, lumber, ladders, pipe, etc.
- Wide mount feet clamp securely to rain gutter. Feet coated at bottom to protect rain gutter paint.
- Each model fits full sized Ford, GM and older pre-Sprinter Dodge.
- No drilling or cutting required.
- Zinc epoxy primed for superior rust resistance. Chip resistant black or white powder coat.

1	Description	Side Channel Kit Model # (UPC)			Feet and Bars Kit Model # (UPC)		Shipping Wt. (Lbs.)
	PRO II HEAVY-DUTY MATERIAL RACK						
-	Requires a Side Channel Kit and a Feet and Bars Kit	40880 0-43419-92168-9	6.7	85.0	40870 0-43419-92167-2	3.0	70.0

2-BAR AND 3-BAR UTILITY VAN RACKS



- Available with 2 or 3 heavy-duty 1 3/4" square steel crossbars.
- Wide mount feet clamp securely to rain gutter. Feet coated at bottom to protect rain gutter paint.
- Each model fits full sized Ford, GM, and older pre-Sprinter Dodge.
- No drilling or cutting required.
- Zinc epoxy primed for superior rust resistance. Chip resistant black or white powder coat.
- Ladder stop included.
- Low profile uprights enable access to low clearance parking facilities.

BOTH MODELS SUPPORT UP TO 500-LB. LOADS

V.W.V.	Description	White Finish Model # (UPC)	Black Finish Model # (UPC)	Shipping Cu. Ft.	Shipping Wt. (Lbs.)
3	2-BAR & 3-BAR UTILITY VAN RACH	KS			
6	2 Cross Bar Rain Gutter Mount	40823 0-43419-92208-2	40820 0-43419-92177-1	1.3	40.0
	3 Cross Bar Rain Gutter Mount	40833 0-43419-92209-9	40830 0-43419-92178-8	1.3	60.0



RGO ASTER ACCESSORIES



Black Model A31080

UPC 0-43419-92186-3 Ship Wt: 22.0 Lbs

Wind Deflector

Mounts to front bar to reduce wind noise

Model A31570 UPC 0-43419-92412-3 Ship Wt: 6.0 Lbs





Fullsize Truck

Stake Pocket T-Bolts

Bolts for installing the rack

Eliminates drilling holes in

Set of four bolts, anchors

Bed Supports for Fullsize Trucks

to the bed floor

Set of two supports

Model A31040

UPC 0-43419-92184-9 Ship Wt: 5.0 Lbs

Supports bolt on the front mounting plates

Adjustable leg transfers 50% of

the vertical load from the wall

mounting plates over the

stake pockets

the side wall

and washers

Model A31560

UPC 0-43419-92416-1 Ship Wt: 2.0 Lbs

Fullsize Truck Window Guard

- 16-Gauge cold rolled steel construction
- Bolts on existing rack (rack and mounts not included)
- Adds structural support to rack
- 3rd brake light cutout

Load Dividers

Dividers clamp on crossbars to secure conduit and long cargo on the rack

.

- Holes in dividers to secure cargo to them
- Sold in pairs

Model A31020


UPC 0-43419-92183-2 Ship Wt: 10.0 Lbs

Conduit Box Kit

- Box bolts on crossbar for carrying a larger quantity of conduit on the rack
- Use one on each end of the conduit with a padlock to prevent theft

Model A31000 UPC 0-43419-92181-8 Ship Wt: 12.0 Lbs

A





Utility Hook

- Bolt-on steel hook holds coiled materials within easy reach
- Long upright provides a second hanging point inside the bed

Model A31150 UPC 0-43419-92188-7 Ship Wt: 4.0 Lbs



Mounts for Trucks WITHOUT Camper/Utility Shell

72" Long Bed Model A31260 UPC 0-43419-92194-8 Ship Wt: 30.0 Lbs

78" Long Bed Model A31280 UPC 0-43419-92195-5 Ship Wt: 40.0 Lbs

96"Bed Model A31300 UPC 0-43419-92196-2 Ship Wt: 50.0 Lbs

Optional Full-Length Bed Rail Support Mounts

- Mounts distribute the load over the entire length of the bed side walls
- Also available for trucks with utility or
- camper shell

Sold in pairs Mounts for Trucks WITH **Camper/Utility Shell**

78" Long Bed Model A31400 UPC 0-43419-92198-6

Ship Wt: 90.0 Lbs

96" Long Bed Model A31420

UPC 0-43419-92199-3 Ship Wt: 100.0 Lbs lbs

Mounts include 1" tube welded to outside edge providing tie-down points

SET OF 2

PRO II Crossbar

PRO III Crossbar

PRO IV Crossbai



Jaws Side Ladder Clamp Kit

- Bolts on the outside of the rack side channel on either side of truck or van
- Holds ladder at an easy to reach height
- Keeps rack free for other cargo
- Clamp can be padlocked to prevent theft

Model A31060 UPC 0-43419-92185-6 Ship Wt: 27.0 Lbs



Ratchet Strap Tie Downs

- Secures cargo on the rack
- Bolt-on system is easy to move
- Easy to release for unloading
- Sold in pairs

Model A31490

UPC 0-43419-92201-3 Ship Wt: 30.0 Lbs

Model 40850

UPC 0-43419-94374-2 Ship Wt: 5.0 Lbs

Optional 4th or Extra Crossbar

- Bolts on side channels for extra support for long, heavy cargo
- Easy to move to support different types of loads or for taller cargo in the bed

PRO II Racks Order Model A31110 UPC 0-43419-92187-0

PRO III Racks Order Model A31600 UPC 0-43419-92078-0

PRO IV Racks Order Model A31690 UPC 0-43419-94131-1 Ship Wt: 12.0 Lbs



- Clamps to side channel
- Light/Antenna NOT included

Model A31170

UPC 0-43419-92190-0 Ship Wt: 3.0 Lbs



"No Drill" Clamp-On Mounting Kit

- Eliminates Drilling
- Does not reduce load capacity
- Fits PRO II, PRO III, PRO IV & Econo Rack L30040

Model A31580

UPC 0-43419-92681-3 Ship Wt: 4.0 Lbs

Water Jug Mount

Mount bolts on leg where desired Strap secures jug on the mount Jug is easy to load or unload Water jug is not included **Model A31160** UPC 0-43419-92189-4 Ship Wt: 8.0 Lbs

PREMIUM STORAGE SOLUTIONS

JOHOX



TM ARGO MASTER QUICK PAC OVABLE SIDE



- Pair of easy-to-install removable racks for carrying a ladder, canoe, light load of conduit, lumber or other long material
- Heavy-duty front and rear mounting bases bolt to the truck bed and side wall for stability and strength. Mount on either side
- 14-gauge 1 1/2" square steel uprights support up to 250-lb. load
- Support arms adjust from 18" to 32" in width
- Superior corrosion resistant finish with yellow zinc dichromate undercoat with marine-grade polyester epoxy powder coat finish



Model # L30090

Description Horizontal side rack, width adjusts from 18" to 32" UPC





Shipping Wt. (Lbs. 60.0

- Free-standing racks for carrying ladders and long items. Keeps bed free for bulky cargo. 250-lb. load capacity
- High-strength 2" diameter tubular steel and rugged 14" long foot plates eliminate the need for connecting bars. Allows truck boxes to be mounted flush against rack
- Fully adjustable to fit all models. No cutting required. Crossbar is adjustable to fit shorter or taller trucks
- Superior corrosion resistant finish with yellow zinc dichromate undercoat with marine-grade polyester epoxy powder coat finish

Single Rack has 250-lb. Load Capacity

Model #	Description	UPC	Shipping Cu. Ft.	Shipping Wt. (Lbs.)
L30050	Econo Rack—SINGLE	0-43419-92179-5	1.8	3.5

FREE-STANDING FULLSIZE CAB GUARD

- To protect the rear of your cab and rear window, assemble a Cab Guard Rack by ordering the Single Econo Rack Model # L30050 and a Fullsize Truck Window Guard Model A31090 accessory
- High tensile strength 2" diameter steel tubing Econo Rack with long foot plates supports up to 250-lb. loads
- Rack adjusts to fit different bed widths and cab heights
- Window Guard is made of 16-ga. cold rolled steel and bolts on Econo Rack

Model #	Description	UPC	Shipping Cu. Ft.	Shipping Wt. (Lbs.)
L30050	Econo Rack—SINGLE FRONT	0-43419-92179-5	1.8	3.5
A31080	Fullsize Truck Window Guard	0-43419-92186-3	1.2	22.0
	Jacob.		A S	LIFETIME FRAME WARRANTY



Product Warranty Information

JOBOX Products Limited Warranties

This product warranty is made by Delta Consolidated Industries, Inc. (DCI) to only the original purchaser and it is valid as indicated in the table below from date of purchase, upon presentation of the original sales receipt at the time the warranty claim is made.

DCI warrants its product to be free from defects in materials and workmanship at the time of the sale. This warranty does not cover damage caused by accident or unreasonable or unintended use of the product. Modification, disassembly and/or reassembly of the product will invalidate this warranty. Damage to the contents of the box, vehicle or other consequential damages of whatever kind are hereby excluded from this warranty.

Crossover, Innerside, Chests, Topsides and Underbed Truck Boxes5 YearsOn-Site Storage Products1 YearLiquid Transfer Tanks1 Year

KargoMaster Ladder Rack Lifetime Frame Warranty

KargoMaster, Inc. extends to the original purchaser of a KargoMaster product a Lifetime Frame Warranty. If the rack cracks, bends, buckles, or structurally fails in any way, KargoMaster, at its option and expense, will replace or repair the rack. For details, see the Installation Instruction Booklet included with the rack or contact Customer Service.

To Obtain Warranty Service:

In the case of a nonconforming product, you should return the product to the place where it was purchased. The seller will consult with DCI and then either repair or replace the product, at DCI's sole option, if it is determined that the product is defective in either material or workmanship.

If you feel that you have not been offered a satisfactory resolution to your warranty claim, you may submit a written request for further consideration to the Warranty Department, Delta Consolidated Industries, Inc., 4800 Krueger Dr., Jonesboro, AR 72403-6176. Explain in writing the nature of the problem and why you are dissatisfied with the resolution of your warranty claim. You must include the Model Number of the product and a copy of the sales receipt with your request for further consideration. You will receive a response from DCI within 30 days.

Note: This warranty applies solely to domestic sales and shipments made within the continental USA. It gives you specific legal rights in the USA, and you may have other rights afforded you by one or more states in the USA. If this product was purchased outside of the USA, this warranty will be governed by the warranty laws in effect in the jurisdiction in which the product was purchased, on the date that such purchase occurred.

How To Obtain Keys And Replacement Parts

Please have the following information available to request keys, gas springs or replacement parts:

- The Key Code stamped on your key or the outside cover of the lock cylinder
- The Model Number on the label on the barrel of the gas spring
- For other replacement parts, the Model Number of your product

To obtain parts, call our Customer Service Department at the number below between 8:00 AM and 4:30 PM Eastern Time Monday thru Friday. Press 1 when prompted. To send an email, use the address below.

CUSTOMER SERVICE 1-800-643-0084

customer.service@apextoolgroup.com



ON-SITE & TRUCK STORAGE











CUSTOMER SERVICE 1-800-643-0084 customer.service@apextoolgroup.com

www.deltastorage.com

Apex Tool Group, LLC 14600 York Rd. Suite A, Sparks, MD 21152 800-643-0084 • Fax 870-935-4994

6%4



See our product videos on the T.E.C. Video Channel! www.deltajobox.com

The products in this Catalog may be covered by one or more of the following US Patents: 5,586,702 – 5,601,206 – 5,875,948 – 6,209,739 – 6,254,208 – 6,464,095 – 6,681,604 – 6,803,167 – 6,959,846 - 7,370,890, D369,342 & D355,766 Or, by Patent Applications that are pending. The Trademarks included in this catalog are registered by or have been applied for by Delta Consolidated Industries, Inc. except GASBOY Pumps, KargoMaster Ladder Racks and Roller-Box which are the property of those companies.

All information on this catalog is subject to change without notice. For ordering, use Part# T550837, © 2011 Apex Tool Group, LLC