



## ***Product Guide***



**FLATDECKS • CAR HAULERS • EQUIPMENT TILTS • DUMPS • UTILITIES**



# PJ TRAILERS

Established in 1991, PJ Trailers has become the largest medium duty trailer manufacturer in North America. The PJ Trailer brand is synonymous with high-end, professional grade trailers. We are known world wide for our legendary powder coat finish, which is a standard feature on every trailer we manufacture.

## FLATDECKS



### CLASSIC FLATDECK WITH SINGLES (FS)



- 15,680 lbs GVWR
- 20' - 40' Lengths Available
- Available with Tandem and Triple Axles
- I-Beam Gooseneck
- 12" x 14lb I-Beam Main Frame
- 235/80R16 Radial Tires

### CLASSIC FLATDECK WITH DUALS (FD)



- 22,400 lbs GVWR
- 20' - 40' Lengths Available
- 10k - 16k Axles Available
- I-Beam Gooseneck
- 235/80R16 Radial Tires

### LOW-PRO FLATDECK WITH DUALS (LD)



- 22,400 lbs GVWR
- 20' - 40' Lengths Available
- 10k - 16k Axles Available
- Ultra Low 33" Deck Height
- 12" x 19lb I-Beam Main Frame

### FLATDECK WITH HYDRAULIC DOVE (FY)



- 22,400 lbs GVWR
- 10' Hydraulic Dovetail
- 30' - 40' Lengths Available
- 10k - 16k Axles Available
- I-Beam Gooseneck
- 12" x 19lb I-Beam Main Frame

### LOW-PRO WITH HYDRAULIC DOVE (LY)



- 22,400 lbs GVWR
- 10' Hydraulic Dovetail
- Ultra Low 33" Deck Height
- 30' - 40' Lengths Available
- 10k - 16k Axles Available
- 12" x 19lb I-Beam Main Frame

### 8" I-BEAM DECKOVER (F8)



- 14,000 lbs GVWR
- 16' - 30' Lengths Available
- Available with Tandem and Triple Axles
- 12" x 19lb I-Beam Main Frame
- 235/80R16 Radial Tires

### LIGHT DUTY DECKOVER 5" CHANNEL (L5)



- 7,000 lbs GVWR
- 16'-20' Lengths Available
- 205/75R15 Radial Tires
- 5" Channel Main Frame

### MEDIUM DUTY DECKOVER 6" CHANNEL (L6)



- 9,990 lbs GVWR
- 16'-20' Lengths Available
- 225/75R15 Radial Tires
- 6" Channel Main Frame

### PIPE HAULER (PT)



- 15,680 lbs GVWR
- 20' - 40' Lengths Available
- 7k & 8k Axles Available
- Ultra Low 35" Deck Height
- 12" x 14lb I-Beam Main Frame
- 235/80R16 Radial Tires

# EQUIPMENT TILTS



## TANDEM DUAL TILT (TD)



- 22,400 lbs GVWR
- 24' - 40' Lengths Available
- 10k & 12k Axles Available
- 24' Hydraulic Tilting Deck
- 12" x 19lb I-Beam Main Frame
- 235/80R16 Radial Tires

## DECKOVER TILT (T8)



- 14,000 lbs GVWR
- 22' & 26' Lengths Available
- 4ft Stationary Deck on 26'
- Gooseneck Available
- 8" x 10 lb I-beam Frame & Tongue
- 235/80R16 Radial Tires

## 6" CHANNEL EQUIPMENT TILT (T6)



- 14,000 lbs GVWR
- 16', 20', 22', & 24' Lengths Available
- Ultra Low 21" Deck Height
- 6" Channel Frame & Tongue
- 235/80R16 Radial Tires

## 6" CHANNEL EQUIPMENT TILT (T6)



- 14,000 lbs GVWR
- 16' & 20' Lengths Available
- Torsion Suspension
- 11° Tilt Pitch
- 6" Channel Frame & Tongue
- 235/80R16 Radial Tires

## 5" CHANNEL TILT CARHAULER (T5)



- 7,000 lbs GVWR
- 16' & 20' Lengths Available
- 11° Tilt Pitch
- Aluminum Treadplate Fenders
- 205/75R15 Radial Tires

# DUMPS



## TANDEM DUAL DUMP (DD)



- 22,400 GVWR
- 16' - 20' Lengths Available
- 10 Ton Scissor Lift
- I-Beam Gooseneck
- 12" x 19lb I-Beam Main Frame
- 235/80R16 Radial Tires

## 96" DECKOVER DUMP (D8)



- 14,000 GVWR
- 14' Length Available
- 19" High Fold Down Sides
- 96" Wide Bed
- 80" Slide In Channel Ramps
- 235/80R16 Radial Tires

## 83" XL DUMP (D9)



- 14,000 GVWR
- 16' Length Available
- 83" Wide Bed
- 80" Slide In Channel Ramps
- 40° Dump Pitch
- 235/80R16 Radial Tires

## 83" TANDEM AXLE DUMP (D7)



- 9,990 - 14,000 GVWR
- 10' - 14' Lengths Available
- 83" Wide Bed
- 80" Slide In Channel Ramps
- 40° Dump Pitch
- 235/80R16 Radial Tires

## 78" MEDIUM DUTY DUMP (D2)



- 9,990 lbs GVWR
- 10' & 12' Lengths Available
- 78" Wide Bed
- Self Contained Hydraulic Unit
- Locking Front Tool Box

## 60" UTILITY DUMP (D5)



- 5,200 - 9,990 lbs GVWR
- 8' & 10' Lengths Available
- Single & Tandem Axles Available
- 60" Wide Bed
- ST225/75B15 Tires

# CARHAULERS



## 8" CHANNEL CARHAULER (C8)



- 14,000 GVWR
- 20' - 40' Lengths Available
- Available with Tandem and Triple Axles
- 8" Channel Tongue & Frame
- 235/80R16 Radial Tires

## 6" CHANNEL CUSTOM CARHAULER (CC)



- 14,000 GVWR
- 16' - 24' Lengths Available
- Gooseneck Available
- 235/80R16 Radial Tires
- Treadplate Removable Steel Fenders

## 5" CHANNEL CARHAULER (C5)



- 7,000 GVWR
- 14' - 20' Lengths Available
- 83" Wide Deck
- ST205/75R15 Radial Tires

## ANGLE PIPETOP (P8)



- 14,000 GVWR
- 16' - 20' Lengths Available
- 83" Wide Deck
- 235/80R16 Radial Tires
- 3" x 5" Angle Frame
- Ultra Low Deck Height

# UTILITIES



## 83" UTILITY (U8)



- 3,500 - 7,000 lbs GVWR
- 10' - 20' Lengths Available
- 83" Wide Deck
- Removable Aluminum Treadplate Fenders
- 205/75R15 Radial Tires

## 77" UTILITY (U7)



- 3,500 - 7,000 lbs GVWR
- 10' - 20' Lengths Available
- 77" Wide Deck
- Removable Aluminum Treadplate Fenders
- 205/75R15 Radial Tires

## 60" UTILITY (U6)



- 3,500 - 7,000 lbs GVWR
- 8' - 20' Lengths Available
- 60" Wide Deck
- Removable Aluminum Treadplate Fenders
- 205/75R15 Radial Tires

## UTILITY ANGLE TRAILERS (US, UA, UB)



- 60", 77", & 83" Width Available
- 3,500 - 7,000 GVWR
- 10' - 16' Lengths Available
- Available with Single & Tandem Axles
- Conduit Enclosed Wiring
- 205/75R15 Radial Tires

## 60" ALL STEEL UTILITY (A6)



- 3,500 GVWR
- 8' & 10' Lengths Available
- Treadplate Removable Aluminum Fenders
- 4ft Expanded Metal Gate
- 60" Deck Width
- 205/75R15 Radial Tires

## 50" ALL STEEL UTILITY (A1)



- 2,000 GVWR
- 8' Length Available
- 3ft Expanded Metal Gate
- 50" Deck Width
- 175/80R13 Radial Tires



At PJ Trailers, every trailer we build is powder coated with Sherwin-Williams™ Powder Coat. A powder coat finish is far superior to conventional paint. It is extremely durable and does not easily crack, chip, or peel as conventional paint does. Powdercoating also helps prevent rust & corrosion making it the longest lasting and most durable finish on the market.